

Ridgefield COVID Summary

Ridgefield COVID-19 Task Force



Friday, March 31, 2023

As of 2/24/2023, we are reporting only

1. COVID-19 Wastewater Analysis for Fairfield County
2. Bivalent Boosted Vaccination Rates for Ridgefield

Fairfield County: COVID-19 Wastewater Analysis

Search for your state or territory

Total results

Last 6 months

Last 6 weeks

☐ Show nationwide average ☒ Show cases

County wastewater

Clinical cases per 100k

Fairfield County, CT

Wastewater:
Effective SARS-
CoV-2 virus
concentration
(copies / mL of
sewage)

6,000

powered by Biobot Analytics

4,000

2,000

0

Jan '21

Jan '22

Jan '23

XBB*: 99.5% • BA.5*: 0% • BQ.1*: 0%

Clinical:

Daily new cases
per 100k people

400

300

200

100

0

Due to the prevalence of unreported home testing, wastewater analysis is a more accurate measure of community COVID-19 levels than reported clinical cases.

Note that the Clinical Cases largely missed the Wastewater spike seen in late January.


Data Source: <https://biobot.io/data>

Comments: Rick Lawrence (Ridgefield COVID Task Force)



Ridgefield COVID-19 Task Force

Bivalent Booster Vaccination Rates for Ridgefield Residents



Data Source: <https://data.ct.gov>

Analysis: Rick Lawrence (Ridgefield COVID Task Force)



Ridgefield COVID-19 Task Force