



**Unapproved  
Town of Ridgefield  
Water Pollution Control Authority**

**WPCA Workshop Zoom Meeting  
March 22, 2021 4:00 p.m.  
66 Prospect Street  
Ridgefield, Connecticut 06877**

WPCA: Amy Siebert, Gary Zawacki, Ron Hill, Maureen Kozlark, Kevin Briody  
AECOM: Jon Pearson  
Raftelis: Dave Fox  
Pullman & Comley: Lee Hoffman, Monte Frank

**These are not verbatim minutes of the proceedings but identification of  
general items and specific actions undertaken.**

Meeting held via ZOOM Video Teleconference.

**WPCA Workshop Meeting called to order at 4:00 by Ms. Siebert**

**1) New Business**

**a) Route 7**

- i) Discussed combining Sewer District 1 and Sewer District 2 or keeping two districts.
- ii) The plant useful life has been reached and now that it will be eliminated, the pump station was engineered with a specific capacity that limits what can be done in District 2.
- iii) New rules and regulations will be determined for District 2.
- iv) Legally we can keep the districts separate or combine the two. Discussed the advantages and disadvantages of both scenarios. The WPCA determined to continue this discussion at a later meeting.

**2) General**

- a) Discussed Hook-up Fees and Tie-in Fees.
  - i) Discussed unit system vs. metered systems.

Motion to adjourn Workshop Meeting at 5:30 pm by Ms. Kozlark seconded by Mr. Zawacki, passing 5-0.

**Submitted by Diana Van Ness**