

General Permit for the Discharge of Stormwater from Small Municipal Separate Storm Sewer Systems

2021 MS4 ANNUAL REPORT

Town of Ridgefield

April 1, 2022

Tighe & Bond
Engineers | Environmental Specialists


Table of Contents

Abbreviations	iv
Part I: Summary of Minimum Control Measure Activities	1
1. Public Education and Outreach	1
1.1 BMP Summary.....	1
1.2 Describe any Public Education and Outreach activities planned for the next year, if applicable.	2
1.3 Details of activities implemented to educate the community on stormwater	3
2. Public Involvement/Participation.....	4
2.1 BMP Summary.....	4
2.2 Describe any Public Involvement/Participation activities planned for the next year, if applicable....	6
2.3 Public Involvement/Participation reporting metrics	6
3. Illicit Discharge Detection and Elimination	7
3.1 BMP Summary.....	7
3.2 Describe any IDDE activities planned for the next year, if applicable.	9
3.3 List of citizen reports of suspected illicit discharges received during this reporting period.	9
3.4 Provide a record of illicit discharges occurring during the reporting period and SSOs occurring July 2012 through end of reporting period using the following table.	10
3.5 Briefly describe the method used to track illicit discharge reports, responses to those reports, and who was responsible for tracking this information.	11
3.6 Provide a summary of actions taken to address septic failures using the table below.	11
3.7 IDDE reporting metrics	11
3.8 Briefly describe the IDDE training for employees involved in carrying out IDDE tasks including what type of training is provided and how often is it given (minimum once per year).	12
4. Construction Site Runoff Control.....	13
4.1 BMP Summary.....	13
4.2 Describe any Construction Site Runoff Control activities planned for the next year, if applicable. .	17
5. Post-construction Stormwater Management	19
5.1 BMP Summary.....	19
5.2 Describe any Post-Construction Stormwater Management activities planned for the next year, if applicable.	23
5.3 Post-Construction Stormwater Management reporting metrics.....	23
5.4 Briefly describe the method to be used to determine baseline DCIA.	24
6. Pollution Prevention/Good Housekeeping	25
6.1 BMP Summary.....	25
6.2 Describe any Pollution Prevention/Good Housekeeping activities planned for the next year, if applicable.	31

6.3 Pollution Prevention/ Good Housekeeping reporting metrics	32
6.4 Catch basin cleaning program	34
6.5 Retrofit program	34
Part II: Impaired waters investigation and monitoring	35
1. Impaired waters investigation and monitoring program.....	35
1.1 Indicate which stormwater pollutant(s) of concern occur(s) in your municipality or institution.....	35
1.2 Describe program status.	35
2. Screening data for outfalls to impaired waterbodies.....	35
2.1 Screening data	35
2.2 Credit for screening data collected under 2004 permit.....	39
3. Follow-up investigations	39
4. Prioritized outfall monitoring	40
Part III: Additional IDDE Program Data.....	41
1. Assessment and Priority Ranking of Catchments data	41
2. Outfall and Interconnection Screening and Sampling data	42
2.1 Dry weather screening and sampling data from outfalls and interconnections	42
2.2 Wet weather sample and inspection data.....	43
3. Catchment Investigation data.....	45
3.1 System Vulnerability Factor Summary.....	45
3.2 Key junction manhole dry weather screening and sampling data.....	46
3.3 Wet weather investigation outfall sampling data	46
3.4 Data for each illicit discharge source confirmed through the catchment investigation procedure ..	46
Part IV: Certification	47
Appendix A Planning and Zoning Data	
Appendix B Public Services Department Data	

Abbreviations

BMP	Best Management Practice
CFU	colony forming units
CGS	Connecticut General Statutes
cm	centimeters
col	colonies
CTDEEP	Connecticut Department of Energy and Environmental Protection
CTDOT	Connecticut Department of Transportation
DCIA	Directly Connected Impervious Area
GIS	Geographic Information System
IDDE	Illicit Discharge Detection and Elimination
HRRRA	Housatonic Resources Recovery Authority
L	liters
lbs	pounds
LID	Low Impact Design
mg	milligrams
MS4	Municipal Separate Storm Sewer System
NEMO	Nonpoint Education for Municipal Officials
N/P	nitrogen / phosphorus
NTU	Nephelometric Turbidity Units
PFAS	per- and polyfluoroalkyl substances
ppt	parts per trillion
SOP	Standard Operating Procedure
SSO	Sanitary Sewer Overflow
TBD	to be determined
WestCOG	Western Connecticut Council of Governments
WPCA	Water Pollution Control Authority
WPCF	Water Pollution Control Facility
µmhos	millimhos



MS4 General Permit Town of Ridgefield 2021 Annual Report

Existing MS4 Permittee
Permit Number GSM 000041
January 1, 2021 – December 31, 2021

Primary MS4 Contact: Jacob Muller, Director of Facilities and Purchasing, o: 203.431.2752 e: purchasing@ridgefieldct.org

This report documents Ridgefield’s efforts to comply with the conditions of the MS4 General Permit to the maximum extent practicable (MEP) from January 1, 2021 to December 31, 2021.

Part I: Summary of Minimum Control Measure Activities

1. Public Education and Outreach

MS4 General Permit Section 6(a)(1) / page 19, requires the Town to implement a public education program to distribute educational materials to the permittee’s community or conduct equivalent outreach activities about the sources and impacts of stormwater discharges on waterbodies and the step that the public can take to reduce pollutants in stormwater runoff.

1.1 BMP Summary

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
1-1 Implement public education and outreach	In progress	In November 2021, the Town held a kick-off meeting with a consultant to assist it in developing educational materials to meet the public education requirements of the permit. Consultant will be retained in February 2022. The Town has developed educational materials for distribution in the past, including a pet waste brochure and the WPCA sends out a brochure that includes MS4	Develop and implement a public education process to reach out to the Ridgefield community. Including establishing a stormwater page on the Town website to share	Town Engineer Designee with Assistance from Consulting Engineer	Ongoing	Started 11/01/2021 Expected initial completion date on or about 06/30/2022	

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
		elements such as avoiding illegal connections that could cause SSOs, yearly to all customers on the sewer system.	educational materials.				
1-2 Address education/ outreach for pollutants of concern	In progress	In November 2021, the Town held a kick-off meeting with a consultant to assist it in developing educational materials to meet the public education requirements of the permit. Consultant will be retained in February 2022.	Develop and implement a public education process to reach out to the Ridgefield community. Including establishing a stormwater page on the Town website to share educational materials.	Town Engineer Designee with Assistance from Consulting Engineer	Ongoing	Started 11/01/2021 Expected initial completion date on or about 06/30/2022	

1.2 Describe any Public Education and Outreach activities planned for the next year, if applicable.

The following activities are planned for 2022:

1. Develop and distribute brochures for specific pollutants:
 - a. Pet Waste
 - b. Mercury
 - c. Impervious Cover
 - d. Illicit Discharges
 - e. Nitrogen & Phosphorus
 - f. Leaf disposal
2. Create a dedicated stormwater page on the Town's website
 - a. Identify contact person from Town staff to serve as liaison to update website.
 - b. Post brochures created above to dedicated stormwater page
 - c. Post WPCA brochure.
 - d. Post links to MS4 Permit, MS4 Stormwater Management Plan and MS4 Annual Report
 - e. Links to Household Hazardous Waste Collection Day

- f. Include links to stormwater educational sites:
 - i. Housatonic Valley Association: <https://hvatoday.org/polluted-stormwater-runoff/>
 - ii. WestCOG Environmental Planning: <https://westcog.org/environmental/>
 - iii. UCONN NEMO Program: <https://nemo.uconn.edu/ms4/>
- g. Include links to Planning and Zoning meetings, stormwater and sediment and erosion control regulations.
- h. Town IT Department to record number of views.

1.3 Details of activities implemented to educate the community on stormwater

Program Element/Activity	Audience (and number of people reached)	Topic(s) covered	Pollutant of Concern addressed (if applicable)	Responsible dept. or partner org.

2. Public Involvement/Participation

MS4 general permit Section 6(a)(2) / page 21, requires the Town to provide opportunities to engage their community to participate in the review and implementation of the permittee’s Plan.

2.1 BMP Summary

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
2-1 Final Stormwater Management Plan publicly available	Complete	None	The 2017 Stormwater Management Plan is posted to the Town’s website.	Town Engineer Designee with Assitance from Consulting Engineer	07/01/2017	Completed: 07/01/2017	https://www.ridgefieldct.org/sites/g/files/vyhlif4916/ff/uploads/smpfinal03282017.pdf
2-2 Comply with public notice requirements for Annual Reports	In Progress	None	Publish reasonable public notice about the MS4 Annual Report. Accept public comments for 30 days following the publication of reasonable public notice.	Town Engineer Designee with Assitance from Consulting Engineer	Annually, Due 02/15/2020	Projected: 02/15/2022 for 2021 Annual Report 06/30/2022 for 2018, 2019 and 2020 Annual Reports	
2-3 Conduct Household Hazardous Waste collection day	Ongoing, Complete for 2021	The Town of Ridgefield is a member of the Housatonic Resources Recovery Authority, which conducts household	Conduct one household hazardous waste collection day per year.	Town Engineer Designee with Assitance from Consulting Engineer	Annually, by 12/31/2021	Completed: 04/03/2021 (Danbury) 05/08/2021 (Newtown) 06/12/2021 (Bethel)	https://hrra.org/household-hazardous-waste/ https://portal.ct.gov/DEEP/Waste-Management-and-Disposal/Household-Hazardous-Waste/HHW-Collection-Schedule#Ridgefield

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
		hazardous waste collection days in various member towns. Although no collections were held within Ridgefield itself, Town residents were eligible to participate at collection sites in any member community.				09/11/2021 (Brookfield) 10/09/2021 (New Milford)	
2-4 Town recycling programs: household goods, food scraps, paint	Ongoing, Complete for 2021	The Town of Ridgefield Transfer Station accepts numerous items, providing a convenient alternative to residents to dispose of waste and to curb illegal dumping which could flow into storm drains and negatively	Conduct recycling program throughout the year.	Department of Public Service	Annually, by 12/31/2021	Completed: 12/31/2021	Household goods: https://www.ridgefieldct.org/transfer-station/pages/recyclables Food scraps: https://hrra.org/wp-content/uploads/2019/10/RIDGEFIELD-Organics-updated-announcement-JAN-2019.pdf Paint: http://www.paintcare.org

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
		<p>impact the health of watercourses.</p> <p>A full list of items accepted in on the Town's transfer station website, but includes electronic waste, mattresses, and appliances.</p> <p>In 2021, the Town explored creating a new solar powered composting area and waste oil collection.</p>					

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
2-5: Participate and assist community clean-up events	Ongoing, complete for 2021	The Town participated and lent support to the annual Rid Litter day clean-up event, providing trash pickup, trash bags and safety vests.	Provide support to one volunteer organized clean-up event.	Public Services Department	12/31/2022	04/22/2021	Rid Litter Day

2.2 Describe any Public Involvement/Participation activities planned for the next year, if applicable.

The following activities are planned for 2022:

1. Publish notice and post 2021 Annual Report to Town Website.
2. Publish notice and post 2018, 2019, and 2020 Annual Reports to Town Website.
3. Conduct at least one Household Hazardous Waste Collection Day.
4. Continue recycling programs for household goods, paint, and food scraps.
5. Identify one or more volunteer organization for Town clean-up activities. Provide material/logistical support (i.e., gloves, bags, trash bag pickup) as needed and available.

2.3 Public Involvement/Participation reporting metrics

Metrics	Implemented	Date	Posted
Availability of the Stormwater Management Plan to public	Yes	07/01/2017	https://www.ridgefield.ct.org/sites/g/files/vyhliif4916/f/uploads/smpfinal03282017.pdf

Availability of Annual Report announced to public	No		
---	----	--	--

3. Illicit Discharge Detection and Elimination

Reference: Section 6(a)(3) and MS4 General Permit, Appendix B / page 22

3.1 BMP Summary

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
3-1 Develop written IDDE program	In progress	In November 2021, the Town held a kick-off meeting with a consultant to assist in developing a written IDDE Plan. Consultant will be retained in February 2022.	Develop written plan of IDDE program	Town Engineer Designee with Assitance from Consulting Engineer	07/01/2018	Projected: 06/30/2022	
3-2 Develop list and maps of all MS4 stormwater outfalls in priority areas	In progress	The Town is in the process of mapping its stormwater outfalls in priority areas into a single, consolidated location. The Town has some outfalls mapped in its GIS system, while others are shown on subdivision mapping in Planning and Zoning records.	Develop and maintain a list of all stormwater outfalls from a pipe or conduit located within and owned/operated by the Town, and all interconnections with other MS4s.	Town Engineer Designee with Assitance from Consulting Engineer	07/01/2019	TBD	
3-3 Implement citizen reporting program	Complete	The Town has an online feature on it's website under "Contact Us" where residnets can report a concern to a specific Department, which generates an e-mail to a specific contact person within the Department for follow-up and, if necessary, action.	Develop and implement a procedure to track citizen complaints of illicit discharges.	Town Engineer Designee with Assitance from Consulting Engineer	Ongoing	Completed: 07/01/2017	Contact Us

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
3-4 Establish legal authority to prohibit illicit discharges	In progress	<p>In November 2021, the Town held a kick-off meeting with a consultant to assist in developing recommendations for legal authority to prohibit illicit discharges to encompass all non-stormwater discharges. Consultant will be retained in February 2022.</p> <p>The proposed ordinance will need to be developed and follow the process outlined in the Town Charter.</p> <p>Town Ordinance 298-6-B prohibits unlawful discharges of sanitary sewage, industrial waste, or other polluted waters to storm drains.</p>	Establish legal authority in the Town to eliminate illicit discharges. Implement and enforce the ordinance.	Town Engineer Designee with Assitance from Consulting Engineer	07/01/2018	Projected: 12/31/2022	Ordinance 298-6-B
3-5 Develop record keeping system for IDDE tracking	In progress	The Town records illicit discharge abatement activities on corresponding public complaint forms, and are recorded in the Town's files.	Develop and implement documentation procedures for illicit discharge abatement activities, and update Annual Report with required abatement activity information pursuant to the updated MS4 permit.	Town Engineer Designee with Assitance from Consulting Engineer	07/01/2017	07/10/2017	
3-6 Address IDDE in areas with pollutants of concern	In Progress	The Town has identified sediment and erosion control structures it previously installed at Mamasco Lake, and will be developing a standard operating procedure for maintenance.	Identify locations within the Town at risk of pollution by bacteria, phosphorus, and nitrogen and explicitly prioritize these areas within the written IDDE program. Update the Annual Repot with information on the prioritized areas, actions taken by the Town to address these areas and the anticipated pollutant reduction.	Town Engineer Designee with Assitance from Consulting Engineer	Not specified	Projected date for written SOP: 06/30/2022	

3.2 Describe any IDDE activities planned for the next year, if applicable.

The following activities are planned for 2022:

1. Prepare written IDDE Plan
2. Consolidate Town storm sewer and outfall mapping into a single location.
3. Evaluate the effectiveness of the existing citizen reporting feature on the Town Website and make improvements if needed. Evaluate adding specific drop down menu for Stormwater concerns, and use th Public Services Department to review and refer the concern for action.
4. Review illicit discharge ordinances crafted by other communities, and develop the draft ordinance for the Town, following the procedure established in the Town Charter.
5. Prepare written SOP for Mamasasco lake sediment structures.
6. Resume sampling and screening program that was started in 2018.

3.3 List of citizen reports of suspected illicit discharges received during this reporting period.

Illicit discharges are any unpermitted discharge to waters of the state that do not consist entirely of stormwater or uncontaminated groundwater except those discharges identified in Section 3(a)(2) of the MS4 general permit when such non-stormwater discharges are not significant contributors of pollution to a discharge from an identified MS4.

Date of Report	Location / suspected source	Response taken
None reported		

Date of Report	Location / suspected source	Response taken

3.4 Provide a record of illicit discharges occurring during the reporting period and SSOs occurring July 2012 through end of reporting period using the following table.

Note: shaded rows indicate SSOs that occurred previous to the Annual Report calendar year.

Location (Lat long/ street crossing /address and receiving water)	Date and duration of occurrence	Discharge to MS4 or surface water	Estimated volume discharged	Known or suspected cause / Responsible party	Corrective measures planned and completed (include dates)	Sampling data (if applicable)
Rowland Lane	09/03/2021	MS4	Unknown	Extreme rain event ~ 200 year storm		
South Street Pump Station	09/02/2021	MS4	Unknown	Extreme rain event ~ 200 year storm.		
Quail Ridge Pump Station	10/01/2020	MS4	Unknown	Power outage and emergency generator could not run pumps causing bypass.	Variable frequency drives installed at pump station.	
Fox Hill Pump Station	03/20/2020	MS4	Unknown	Piece of wood blocked flow inside manhole resulting in bypass.	Blockage cleared day of bypass.	
Quail Ridge Pump Station	07/11/2019	MS4	Unknown	Heavy rainfall		
Copps Hill Plaza	05/06/2019	MS4	Unknown	Unknown		
103 Danbury Road	04/30/2019	MS4	Unknown	Grease blockage caused manhole bypass.	Blockage cleared day of bypass.	
Near 21 Ramapoo Road	11/04/2017	MS4	100 gallons	Roots and accumulation of grease in system on Gilbert Street	Roots and grease removed day of bypass.	
Influent Wet Well Manhole	07/25/2016	MS4	Unknown	Unknown		
13 Rowland Lane	07/24/2013	MS4	Unknown	Unknown		

Location (Lat long/ street crossing /address and receiving water)	Date and duration of occurrence	Discharge to MS4 or surface water	Estimated volume discharged	Known or suspected cause / Responsible party	Corrective measures planned and completed (include dates)	Sampling data (if applicable)
Influent Wet Well Bypass	07/23/2013	MS4	Unknown	Unknown		

3.5 Briefly describe the method used to track illicit discharge reports, responses to those reports, and who was responsible for tracking this information.

The Town tracks illicit discharge reports on paper, preparing memos to identify the location and track ultimate resolution of the reported discharge. Responsibility varies depending on the type of discharge. Oil spills are handled by the Fire Department, whereas records for sediment and erosion are handled by Planning and Zoning, and other issues are addressed by the Office of the Town Engineer Designee with Assistance from Consulting Engineer. WPCA tracks SSOs, and the Health Department tracks septic system repairs.

3.6 Provide a summary of actions taken to address septic failures using the table below.

Summary of actions to address septic failures

In 2021, the Town of Ridgefield Health Department issued 133 repair permits. The Town Health Department inspects all repairs upon completion to confirm that the issue requiring the repair has been addressed.

Additionally, the Health Department requires all food service establishments licensed with the Department to comply with CTDEEP Fats, Oils and Grease (FOG) regulations. All food service establishments are equipped with an appropriate grease interceptor (passive, AGRU, external), and must have a signed maintenance/pumping contract, and are required to submit pumping receipts quarterly. Those not in compliance are fined and corrections are made. The vigilance over the FOG program prevents clogs within the sanitary sewer system that can cause overflows and adversely impact the MS4.

3.7 IDDE reporting metrics

Metrics	
Estimated or actual number of MS4 outfalls	500 (estimated)

Estimated or actual number of interconnections	25 (estimated)
Outfall mapping complete	50%
Interconnection mapping complete	50%
System-wide mapping complete (detailed MS4 infrastructure)	50%
Outfall assessment and priority ranking	0%
Dry weather screening of all High and Low priority outfalls complete	20
Catchment investigations complete	0
Estimated percentage of MS4 catchment area investigated	4%

3.8 Briefly describe the IDDE training for employees involved in carrying out IDDE tasks including what type of training is provided and how often is it given (minimum once per year).

Due to the COVID-19 pandemic, no training was offered in 2021. Training on MS4 and IDDE will be given to the Highway Department in the first half of 2022, no later than 06/30/2022., COVID dependent.

4. Construction Site Runoff Control

Reference: (Section 6(a)(4) / page 25)

4.1 BMP Summary

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
4-1 Implement, upgrade, and enforce land use regulations or other legal authority to meet requirements of MS4 general permit	Ongoing	<p>The Town continues to require that developers, construction site operators, and contractors maintain consistency with the <i>2002 Guidelines for Soil Erosion and Sediment Control</i>, as amended. The requirements are outlined in Section 7.6 of the Ridgefield Zoning Regulations.</p> <p>The Town issued a clarification of its regulations in September 2018 that includes stricter standards than the <i>2002 Guidelines for Soil Erosion and Sediment Control</i>.</p> <p>Additionally, Section 7.15 of the Ridgefield Zoning Regulations requires consistency with the <i>2004 Connecticut Stormwater Quality Manual</i>.</p>	<p>Continue to require developers, construction site operators, or contractors maintain consistency with the <i>2002 Guidelines for Soil Erosion and Sediment Control</i>, as amended.</p> <p>Require consistency with the 2004 Connecticut Stormwater Quality Manual, an all stormwater discharge permits issued by CTDEEP within the municipal or institutional boundary pursuant to CGS 22a-430 and 22a-430b.</p>	Planning & Zoning	07/01/2019	Completed: 07/01/2017	<p>2018 Sediment and Erosion Control Policy:</p> <p>Planning & Zoning Regulations</p>

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
4-2 Develop/Implement plan for interdepartmental coordination in site plan review and approval	Ongoing	<p>The Town's site plan review process includes referrals to various other Town Departments, including Fire, Police, Engineering, and Health, in addition to Planning and Zoning. Projects with subject to inland wetlands review are also subject to Inland Wetlands Board and Conservation Commission review.</p> <p>A need was identified for the Board of Selectmen to formalize an interdepartmental coordination plan, which will occur in 2022.</p>	Continue to follow the existing interdepartmental coordination process for the management of stormwater quality.	Town Engineer Designee with Assitance from Consulting Engineer	Ongoing	Completed: 07/01/2017	
4-3 Review site plans for stormwater quality concerns	Ongoing	<p>The Town continues to implement its existing practices of engineering comments and site inspections and will update the site plan process as necessary to provide consistency with the MS4 requirements.</p> <p>The Town also holds site plan review meetings with applicants for preapplication purposes, and documents the issues discussed, including stormwater in detailed meeting summaries for each review meeting.</p> <p>These policies have been followed since at least 1985.</p>	The Town will review and update, if needed, the site review and inspection process by July 1, 2017, and then continue the review and inspection process throughout the duration of the permit.	Town Engineer Designee with Assitance from Consulting Engineer	Ongoing	Completed: 07/01/2017	

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
4-4 Conduct site inspections	Ongoing	<p>The Town continues to implement its existing practice of engineering comments and site inspections and will update the site plan process as necessary to provide consistency with the MS4 requirements.</p> <p>Site plan reviews incorporate consideration of stormwater management practices to prevent or minimize impacts to stormwater quality.</p> <p>The Town conducts site inspections of all private and construction sites.</p>	Evaluate and update draft standard condition of approval.	Planning & Zoning	Ongoing	Completed: 07/01/2017	Refer to Planning and Zoning memo in Appendix A .
4-5 Implement procedure to allow public comment on site development	Ongoing	<p>In accordance with state law, the Town conducts public hearings on site plan applications.</p> <p>The Town has an online feature on it's website under "Contact Us" where residents can report a concern to a specific Department, which generates an e-mail to a specific contact person within the Department for follow-up and, if necessary, action.</p>	Develop and implement a procedure to allow public comment on site development.	Town Engineer Designee with Assistance from Consulting Engineer	Ongoing	Completed: 07/01/2017	Contact Us

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
4-6 Implement procedure to notify developers about DEEP construction stormwater permit	In Progress	<p>Historically, the Town has included a generic condition that the applicant is responsible to obtain all other state and federal permits that may be required.</p> <p>Planning & Zoning also distributes a handout to developers advising them of their responsibilities, including the need to identify if any state or federal permits are required.</p> <p>The Town also will be adding the requirement to be prominently visible on the Town's online permitting system beginning in 2022.</p>	The Town shall evaluate its procedure for notifying developers or contractors about the potential need to register under DEEP's Construction Stormwater General Permit/	Town Engineer Designee with Assitance from Consulting Engineer	Ongoing	Projected: 06/30/2022	Refer to Planning and Zoning Memo in Appendix A.
4-7 Regulatory Flexibility for Additional Controls	In Progress	The Town periodically reviews and revises policies and regulations to increase effectiveness and to respond to trends observed during inspections. For example in 2018, the Town clarified its Sediment and Erosion Control policy and in 2020 adopted new stormwater management regulations. No policy changes were implemented in 2021, but review is continuous.	Assess existing regulations regarding construction site stormwater controls, and if goals are not being met, update as needed.	Town Engineer Designee with Assitance from Consulting Engineer	Ongoing	Ongoing	2018 Sediment and Erosion Control Policy: Planning & Zoning Regulations
4-8 Require Maintenance and Operation Plans	Ongoing	The Town already requires maintenance plans for stormwater systems and sediment and erosion	Require operations and maintenance plans for stormwater infrastructure.	Town Engineer Designee with Assitance from	07/01/2019	Completed: 07/01/2017	

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
		controls. These plans are to be filed on the land records.		Consulting Engineer			

4.2 Describe any Construction Site Runoff Control activities planned for the next year, if applicable.

The following activities are planned for 2022:

1. Continue to enforce existing regulations
2. Continue to track citizen reports and concerns.
3. Board of Selectmen to formalize existing practices into Interdepartmental coordination plan, including creation of internal stormwater subcommittee comprised of Town Departments with oversight of elements of MS4 Plan.
4. Continue site plan review process, including documentation of site plan review meetings.
5. Continue requirements for operations and maintenance plans.
6. Continue site inspection program.
7. Refine notification to applicants of their potential obligation to register for the CTDEEP Construction Stormwater General Permit.
8. Include standard language notification into Town's online permit system.

5. Post-construction Stormwater Management

Reference: (Section 6(a)(5) / page 27)

5.1 BMP Summary

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
5-1 Establish and/or update legal authority and guidelines regarding LID and runoff reduction in site development planning	Complete	<p>The Town's existing stormwater management regulations require the use of low impact development practices and requires runoff reduction.</p> <p>The Town's stormwater management regulations reference the Low Impact Development Appendix to the <i>2004 Connecticut Stormwater Quality Manual</i>.</p> <p>The Town plans to engage a consultant in 2022 for the purposes of refining the LID regulations. The regulation revision process will require public hearings to give the public an opportunity to participate and comment.</p>	Review and evaluate existing stormwater management requirements to confirm LID and runoff reduction practices are required.	Planning & Zoning	07/01/2021	Complete: 07/01/2017	Stormwater Management Regulations (Section 7.15)
5-2 Enforce LID/runoff reduction requirements for development and redevelopment projects	Complete	The Town's existing stormwater management regulations exceed the minimum requirements of the MS4 permit. The MS4 permit requires sites with greater than 40% DCIA to retain one half of the water quality volume, while sites with less than 40% DCIA are required to retain the full water quality volume. The MS4 Permit requirement for water quality is based on	Update or develop regulations and/or design guidelines that require developers and/or contractors to first consider implementation of LID and runoff reduction measures for development and redevelopment projects in the Town as specified by the MS4 permit.	Planning & Zoning	07/01/2021	Complete: 07/01/2017	Stormwater Management Regulations (Section 7.15)

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
		one inch of rainfall. The Ridgefield regulations are based on 1.5 inches.					
5-3 Identify retention and detention ponds in priority areas	Not started	No activity to report.	Identify retention and detention ponds in priority areas.	Town Engineer Designee with Assistance from Consulting Engineer	07/01/2019	Projected: 12/31/2022	
5-4 Implement long-term maintenance plan for stormwater basins and treatment structures	Ongoing	<p>The Town requires all Planning and Zoning Commission applicants requiring stormwater management approval to execute a maintenance agreement that is recorded on the land records.</p> <p>The agreement gives the Town the authority to enter upon property to inspect structures, compels Owners to rectify deficiencies, and the agreement is binding upon successive owners, running with the land.</p>	Prepare draft condition of approval for inspection access. Require operation and maintenance plans.	Town Engineer Designee with Assistance from Consulting Engineer	07/01/2019	Ongoing	Stormwater Management Drainage System Agreement
5-5 DCIA mapping	In Progress	In November 2021, the Town held a kick-off meeting with a consultant to assist in determining the Town's baseline DCIA using state impervious coverage mapping. Consultant will be retained in February 2022.	Calculate the DCIA that contributes stormwater runoff to each MS4 outfall by July 1, 2020, and update calculations as DCIA is added or removed within the Town.	Town Engineer Designee with Assistance from Consulting Engineer	07/01/2020	Projected: 06/30/2022	

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
5-6 Address post-construction issues in areas with pollutants of concern	Ongoing	<p>Identify erosion and sediment problems in impaired waters. Develop and implement short and long term maintenance solutions to the problems as funding becomes available or use legal authority to hold property owners accountable.</p> <p>The Town responds to post construction issues in areas with pollutants of concern as they are made aware of a specific situation.</p> <p>The Town provides funding to Harbor Watch to perform monitoring at selected areas in Town. In 2021, Harbor Watch sampled five locations in Town in the Norwalk River Watershed: 787 Branchville Road, Stonehenge Road, Limestone Road, 68 Farmingville Road, and 22 South Street. The 2021 Harbor Watch Report is here: https://earthplace.org/data-and-publications/</p>	<p>As issues arise on publicly owned property, work is done in-house to correct the issue to the maximum extent practicable. Otherwise, corrective action is developed into a capital improvement project.</p> <p>On privately owned lands, typically a wetlands violation notice will be issued.</p>	Town Engineer Designee with Assistance from Consulting Engineer	Not specified	Ongoing	
5-7 Turf reduction	Ongoing	Section 10.2.e of the Town's Inland Wetlands and Watercourse Regulations require applicants to preserve as much of the natural buffer around wetlands and watercourses to the maximum extent practicable.	Reduce areas of turf to minimize pesticide and fertilizer inputs	Town Engineer Designee with Assistance from Consulting Engineer	07/01/2018	Ongoing	Inland Wetlands and Watercourses Regulations

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
		Planning & Zoning and Wetlands monitors the buffer areas.					
5-8 Require consistency with the 2004 Connecticut Stormwater Quality Manual	Ongoing	Section 7.15 of the Ridgefield Zoning Regulations requires consistency with the <i>2004 Connecticut Stormwater Quality Manual</i> .	Update regulations of policies for permit application to require consistency with the 2004 Stormwater Quality Manual.	Planning & Zoning	07/01/2018	Complete: 07/01/2017	Stormwater Management Regulations (Section 7.15)
5-9 Coordination with Local Health Department	Ongoing	The local Health Department is included on application reviews as warranted.	Continue actively coordinating with local Health Department on MS4 plan requirements	Planning & Zoning	07/01/2018	Ongoing	

5.2 Describe any Post-Construction Stormwater Management activities planned for the next year, if applicable.

The following activities are proposed for 2022:

1. Continue enforcement of stormwater management regulations.
2. Identify public and private retention/detention ponds in priority areas.
3. Address post-construction sediment and erosion control issues as they occur.
4. Continue to encourage preservation and enhancement of natural buffers.
5. Continue to require consistency with the 2004 Stormwater Quality Manual.
6. Continue to coordinate application reviews with the local Health Department.
7. Compute baseline DCIA coverage.
8. Develop a tracking system to track turf reductions.

5.3 Post-Construction Stormwater Management reporting metrics

For details on this requirement, visit www.nemo.uconn.edu/ms4/tasks/post-construction.htm. Scroll down to the DCIA section.

Metrics	
Baseline (2012) Directly Connected Impervious Area (DCIA)	TBD
DCIA disconnected (redevelopment plus retrofits) for 2021	TBD
DCIA disconnected since 2012	TBD
Retrofit projects completed	0
DCIA disconnected for 2021	TBD %
DCIA disconnected since 2012	TBD %
Estimated cost of retrofits	\$
Detention or retention ponds identified in 2021	0
Detention or retention ponds identified since 2012	0

5.4 Briefly describe the method to be used to determine baseline DCIA.

Baseline DCIA will be determined by a consultant engaged by the Town during 2022.

6. Pollution Prevention/Good Housekeeping

Reference: (Section 6(a)(6) / page 31)

6.1 BMP Summary

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
6-1 Develop and implement formal employee training program	In progress	In November 2021, the Town held a kick-off meeting with a consultant to assist in developing an MS4 training program. Consultant will be retained in February 2022.	Update training program as needed, incorporate MS4 topics into the annual training program already done as part of the Industrial Stormwater Permit.	Highway Department	07/01/2019	Projected: 06/30/2022	
6-2 Implement MS4 property and operations maintenance	In progress	<p>The Town maintains its properties and cleans sediment and detention basins, but has not yet developed written SOPs or fully documented maintenance programs. Written SOPs and maintenance record requirements will be formalized.</p> <p>The Town is also assessing the impact of deicing operations, and is undertaking a 2 to 3 year program pilot study on Farmingville Road that involves measuring runoff salinity and planting salt tolerant species that could reduce salt uptake. The total cost of the program to date has been approximately \$ 3,500.</p> <p>The Fire Department no longer uses foam containing PFAS for firefighting, continuing a policy developed years ago.</p> <p>The Town's salt storage facility continues to be used, and contains an impervious floor</p>	Ensure the petroleum and non-petroleum products at its facilities are properly handled via employee education and training. Develop and implement (i) Spill Prevention Plans at facilities as appropriate, (ii) management procedures for waste management equipment, and (iii) plans to sweep parking lots and keep facilities and their surrounding areas clean. Evaluate impacts of vehicle wash areas at public facilities, and develop best management practices to mitigate their impacts on water quality.	Highway Department	07/01/2018	Projected: 06/30/2022	

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
		<p>layer to prevent mobilization of salt into the ground.</p> <p>Property operations plans will be performed in conjunction with the Facilities Director.</p> <p>The Town's Fuel Depot has a facility specific spill prevention and countermeasure plan that was developed in 2017.</p>					
6-3 Implement coordination with interconnected MS4s	Not started	No activity to report.	Coordinate municipal operations with adjoining MS4s.	Town Engineer Designee with Assistance from Consulting Engineer	Not specified	Projected: 12/31/2022	
6-4 Develop and implement program to control other sources of pollutants to the MS4	Not started	No activity to report.	Review stormwater general permit registrant list and identify potential contributing facilities not on the list. Compare locations of potential contributors to screening and monitoring results to determine if further investigation is warranted.	Town Engineer Designee with Assistance from Consulting Engineer	Not specified	Projected: 12/31/2022	
6-5 Evaluate additional measures for discharges to impaired waters*	Please refer to BMP 6-13, 6-14 and 6-15 for additional detail.						
6-6 Track projects that disconnect DCIA	In Progress	In November 2021, the Town held a kick-off meeting with a consultant to assist in developing a mechanism to track DCIA coverage on a rolling basis. Consultant will be retained in February 2022.	Track the disconnected DCIA acreage, identifying DCIA credit eligible sites constructed within the preceding 5 years.	Town Engineer Designee with Assistance from Consulting Engineer	07/01/2017	Projected: 06/30/2022	

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
6-7 Implement infrastructure repair/rehab program	Ongoing	The Town assesses capital improvement projects on a yearly basis.	Prepare draft internal policy on MS4 infrastructure repair, rehabilitation, and retrofits.	Town Engineer Designee with Assitance from Consulting Engineer	07/01/2021	Ongoing	
6-8 Develop and implement plan to identify/prioritize retrofit projects	In Progress	In November 2021, the Town held a kick-off meeting with a consultant to assist in developing a disconnection plan that would identify candidate disconnection projects on Town properties. Consultant will be retained in February 2022.	Identify required repairs based on data from previous permit and current permit, and prepare inventory. Prioritize proposed projects.	Town Engineer Designee with Assitance from Consulting Engineer	07/01/2020	Projected: 06/30/2022	

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
6-9 Implement retrofit projects to disconnect 2% of DCIA	In Progress	<p>In November 2021, the Town held a kick-off meeting with a consultant to assist in developing a disconnection plan that would identify candidate disconnection projects on Town properties. Consultant will be retained in February 2022.</p> <p>In the interim, as Town projects go through the design process, they are subject to stormwater review, which includes exploring disconnection opportunities. The Schlumberger site demolition removed a significant amount of DCIA. The amount will be quantified in 2022.</p>	Disconnect 2% of the Town's DCIA.	Town Engineer Designee with Assistance from Consulting Engineer	07/01/2022	Projected: 06/30/2022	
6-10 Develop and implement street sweeping program	Ongoing	<p>The Town sweeps most of its streets yearly, and has an established schedule. Since the Town eliminated sand for winter roadway treatment, the volume of material collected has dropped significantly. The Town has developed sweeping program that concentrates on sensitive areas, such as roads that drain to wetlands, ponds, and streams. The specific roadways were identified in conjunction with Inland Wetlands staff, and are identified in a 2018 memorandum from the Public Services Department.</p> <p>Additionally, all roads scheduled for resurfacing are swept at least twice prior to resurfacing operations.</p>	Develop and implement a procedure for identifying targeted areas for additional street sweeping. Establish a schedule for street sweeping to ensure minimum frequency is met for areas inside and outside areas with DCIA greater than 11% and/or in the Urbanized Area. Document results of sweeping program.	Highway Department	Ongoing beginning 07/01/2017	Ongoing	Public Services Department Street Sweeping Memo, Appendix B.

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
6-11 Develop and implement catch basin cleaning program	Ongoing	<p>The Town has a vactor truck that the Highway Department uses to clean catch basins. The Town cycles through different areas of Town on a rotating basis, and inspects all catch basins when roads will be repaired, and as they are cleaned.</p> <p>Work typically begins in the spring, starting at the basins in the Mamasco Lake area, then moving to selected deep sump basins. These are followed by roads to be overlaid, milled, and reclaimed, and then done on a rotating basis by plow route.</p>	Continue conducting routine cleaning of all catch basins. Track catch basin inspection observations. Develop and implement a plan for catch basin inspection and maintenance. Update the Annual Report with documentation of the Town's catch basin cleaning and maintenance process.	Highway Department	Ongoing beginning 07/01/2020	Ongoing	Refer to Department of Public Services Memo in Appendix B .
6-12 Develop and implement snow management practices	Ongoing	<p>The Town currently has a Snow and Ice Management policy from 2012, and has drafted an updated Standard Operating Procedure to be adopted in 2022.</p> <p>The Town minimizes the use of sand on its roadways, and in 2021 used no sand. The Town uses magnesium chloride exclusively.</p> <p>The Town has adopted requirements from WestCOG's <i>Winter Maintenance Guide</i>.</p>	Develop and implement a written snow and ice management plan, including protocols for staff training and record maintenance and updated standard operating practices. Provide appropriate secondary containment for any exterior containers of liquid dicing materials. Update the Annual Report with required information on the snow and ice program.	Highway Department	Ongoing beginning 07/01/2018	Ongoing	<p>WestCOG Winter Maintenance Guide</p> <p>Draft Standard Operating Procedure, refer to Appendix B.</p>
6-13 Parks and Open Space Management	Ongoing	The Town optimizes fertilizer use on its parks properties. Grass clippings are left in place, and leaves are collected and composted.	Continue implementing procedures for fertilizer application and disposal of grass clippings and leaves for lands that are the legal responsibility of the Town.	Parks and Recreation Department	07/01/18	Ongoing	

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
		Pesticide use is limited to select application for grub control.					
6-14 Pet waste management	Complete	<p>Receptacles and collection bags are located in Town parks and in specific downtown areas.</p> <p>In 2018, the Town installed four freestanding units on Main Street, and six on existing trash receptacles on Main Street, and five freestanding unit on the Town's rail trail. These units are still in place and maintained.</p>	Identify locations in Town where pet waste threatens receiving water quality.	Parks and Recreation Department	07/01/18	Ongoing	
6-15 Waterfowl management	Ongoing	Identify waterfowl congregation areas and determine measures to discourage waterfowl congregation.	Identify waterfowl congregation areas.	Parks and Recreation Department	07/01/18	Ongoing	

BMP	Status	Activities in current reporting period	Measurable goal	Department / Person Responsible	Due	Date completed or projected completion date	Additional details
6-16 Mitigate Stormwater Quality Impacts of Town-Owned Vehicles and Equipment	Ongoing	There is a wash area at the garage that includes a permitted separator.	Review existing operations and maintenance procedures for Town facilities, and update if the vehicle fueling/washing provisions have not been included.	Highway Department	07/01/18	Ongoing	
6-17 Leaf management	Ongoing, Complete for 2021	The Ridgefield transfer station allows residents to drop off brush and leaves.	Continue to implement Town-wide leaf disposal program	Public Services Department	07/01/22	Ongoing	

6.2 Describe any Pollution Prevention/Good Housekeeping activities planned for the next year, if applicable.

The following activities are planned for 2022:

1. Develop and conduct employee training program, include catch basin maintenance procedures as part of the program.
2. Develop written SOP for maintenance of Town property.
3. Identify interconnections to and from other MS4s.
4. Identify properties that may be at greater risk of contributing pollutants to MS4.
5. Develop DCIA tracking system.
6. Compute the disconnection achieved by demolition at the former Schlumberger site.
7. Refine Town's priority list of capital improvement projects as part of its five year capital plan.
8. Implement stormwater retrofits as part of larger capital improvement projects if the opportunity arises.
9. Prioritize potential retrofit projects.
10. Continue catch basin cleaning. The Public Services Department will develop written guidance and develop a spreadsheet to track metrics.
11. Document existing street sweeping plan and develop spreadsheet to track metrics.
12. Document snow and ice management practices and develop spreadsheet to track metrics.
13. Document fertilizer and pesticide use practices for Town owned properties.
14. Continue maintenance of pet waste disposal stations.
15. Review waterfowl issues around Town and determine if mitigation is warranted.
16. Review vehicle maintenance practices.
17. Continue existing leaf management policy.

6.3 Pollution Prevention/ Good Housekeeping reporting metrics

Metrics	
Employee training provided for key staff	Not provided in 2021, scheduled for 03/22/2022
Street sweeping	
Curb miles swept	260.64 miles
Volume (or mass) of material collected	957.71 CY
Catch basin cleaning	
Total catch basins in priority areas (value will be less than or equal to total catch basins town or institution-wide)	TBD
Total catch basins town- (or institution-) wide	TBD
Catch basins inspected	599
Catch basins cleaned	599
Volume (or mass) of material removed from all catch basins	577 CY
Volume removed from catch basins to impaired waters (if known)	Unknown
Snow management	
Type(s) of deicing material used	Magnesium chloride (Ice B Gone Magic)
Total amount of each deicing material applied	Up to 3,000
Type(s) of deicing equipment used	Liquid spreaders
Lane-miles treated (A lane-mile is a mile of roadway in a single driving lane)	349.88 miles
Snow disposal location	In-situ
Staff training provided on application methods & equipment	TBD
Municipal turf management program actions (for permittee properties in basins with N/P impairments)	
Reduction in application of fertilizers (since start of permit)	TBD
Reduction in turf area (since start of permit)	TBD
Lands with high potential to contribute bacteria (dog parks, parks with open water, & sites with failing septic systems)	
Cost of mitigation actions/retrofits	\$

6.4 Catch basin cleaning program

Provide any updates or modifications to your catch basin cleaning program

The Town has a vector truck that the Highway Department uses to clean catch basins. The Town cycles through different areas of Town on a rotating basis, and has inspected all catch basins when roads will be repaired. The Public Services Department will develop written guidance and develop a spreadsheet to track metrics. Catch basin cleaning requirements and IDDE awareness specific to catch basins will be included in the training program.

6.5 Retrofit program

Briefly describe the Retrofit Program identification and prioritization process, the projects selected for implementation, the rationale for the selection of those projects and the total DCIA to be disconnected upon completion of each project.

The Town will engage a consultant in 2022 to develop a retrofit program that will identify potential projects and prioritize the projects.

Describe plans for continuing the Retrofit program and how to achieve a goal of 1% DCIA disconnection in future years.

The Retrofit plan will be under development in 2022. In general, the Town's policy is to make improvements to stormwater within the context of performing a larger capital project, as it would require any other land use applicant.

Describe plans for continuing the Retrofit program beyond this permit term with the goal to disconnect 1% DCIA annually over the next 5 years.

In general, the Town's policy is to make improvements to stormwater within the context of performing a larger capital project, as it would require any other land use applicant. The Town will continue enforcement of its stormwater management regulations which will require most applicants to treat a water quality volume of 1.5 inches, which will require stormwater treatment practices that disconnect impervious cover.

Part II: Impaired waters investigation and monitoring

1. Impaired waters investigation and monitoring program

For details on this requirement, visit www.nemo.uconn.edu/ms4/tasks/monitoring.htm. Refer to the yellow column of the Monitoring comparison chart and the Impaired waters monitoring flowchart.

1.1 Indicate which stormwater pollutant(s) of concern occur(s) in your municipality or institution.

This data is available on the MS4 map viewer: <http://s.uconn.edu/ctms4map>.

Nitrogen/ Phosphorus Bacteria Mercury Other Pollutant of Concern

1.2 Describe program status.

Discuss 1) the status of monitoring work completed, 2) a summary of the results and any notable findings, and 3) any changes to the Stormwater Management Plan based on monitoring results.

Monitoring work was performed in 2018, and included 14 of 15 outfalls on Miry Brook, and 18 of 30 outfalls on the Titicus River. In general, bacteria exceedances were identified at nearly all of the outfalls sampled. Since these are known impaired waterbodies, the results were not unexpected, and the Town will continue with its Stormwater Management Plan.

Although not required by the Permit, the Town initiated inspections of all structures within the Downtown area to confirm that the pumps were not connected to the sanitary sewer. The goal was to reduce infiltration and inflow into the sewer system which can cause overflows..

The Town provides funding to Harbor Watch to perform monitoring at selected areas in Town. In 2021, Harbor Watch sampled five locations in Town in the Norwalk River Watershed: 787 Branchville Road, Stonehenge Road, Limestone Road, 68 Farmingville Road, and 22 South Street. The 2021 Harbor Watch Report is here: <https://earthplace.org/data-and-publications/>

The Town is in the process of a \$55 million upgrade to its District 1 WPCF that will reduce phosphorus and nitrogen loading to the Norwalk River. As part of the project, the Route 7 treatment plant will be decommissioned, and all waste will be directed to the District 1 WPCF for treatment. The potential for SSOs at the South Street Plant is also addressed by the project.

The Town also conducted sampling under the 2004 MS4 Permit.

2. Screening data for outfalls to impaired waterbodies

(Section 6(i)(1) / page 41)

2.1 Screening data

Complete the table below to report data for any wet weather sampling completed for MS4 outfalls that discharge directly to a stormwater impaired waterbody during the reporting period. For details on this requirement, visit www.nemo.uconn.edu/ms4/tasks/monitoring.htm. Refer to the

yellow column of the Monitoring comparison chart and the Impaired waters monitoring flowchart.

Each Annual Report will add on to the previous year’s data showing a cumulative list of sampling data. You may also attach an excel spreadsheet with the same data rather than copying it into this table.

Entries in red exceed parameter thresholds and require follow-up.

Outfall ID	Sample date	Parameter (Nitrogen, Phosphorus, Bacteria, or Other pollutant of concern)	Results	Name of Laboratory (if used)	Follow-up required?
6601-1	06/28/18	Total Nitrogen	2.34 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.17 mg/L		
		E. coli	6000 CFU/100mL		
6601-2	06/28/18	Total Nitrogen	2.54 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.13 mg/L		
		E. coli	6000 CFU/100mL		
6601-3	06/28/18	Total Nitrogen	2.28 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.17 mg/L		
		E. coli	6000 CFU/100mL		
6601-4	06/28/18	Total Nitrogen	2.14 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.075 mg/L		
		E. coli	6000 CFU/100mL		
6601-6	06/28/18	Total Nitrogen	0.089 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	2.44 mg/L		
		E. coli	6000 CFU/100mL		
6601-7	06/28/18	Total Nitrogen	1.86 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.089 mg/L		
		E. coli	6000 CFU/100mL		
6601-8	06/28/18	Total Nitrogen	1.77 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.23 mg/L		
		E. coli	6000 CFU/100mL		
6601-9	06/28/18	Total Nitrogen	1.39 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.18 mg/L		
		E. coli	6000 CFU/100mL		
6601-10	06/28/18	Total Nitrogen	2.59 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.16 mg/L		
		E. coli	6000 CFU/100mL		
6601-11	06/28/18	Total Nitrogen	1.74 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.051 mg/L		
		E. coli	6000 CFU/100mL		
6601-12	06/28/18	Total Nitrogen	2.84 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.62 mg/L		
		E. coli	6000 CFU/100mL		

Outfall ID	Sample date	Parameter (Nitrogen, Phosphorus, Bacteria, or Other pollutant of concern)	Results	Name of Laboratory (if used)	Follow-up required?
6601-13	06/28/18	Total Nitrogen	20.3 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.18 mg/L		
		E. coli	6000 CFU/100mL		
6601-14	06/28/18	Total Nitrogen	3.91 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.41 mg/L		
		E. coli	6000 CFU/100mL		
6601-15	06/28/18	Total Nitrogen	2.33 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.2 mg/L		
		E. coli	6000 CFU/100mL		
7300-01-01	06/22/18	Total Nitrogen	0.66 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.056 mg/L		
		E. coli	600 CFU/100mL		
7300-01-02	06/22/18	Total Nitrogen	0.66 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.056 mg/L		
		E. coli	600 CFU/100mL		
7300-01-02	06/22/18	Total Nitrogen	3.53 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.049 mg/L		
		E. coli	600 CFU/100mL		
8104-01-01	06/25/18	Total Nitrogen	0.34 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.17 mg/L		
		E. coli	28000 CFU/100mL		
8104-01-02	06/22/18	Total Nitrogen	1.20 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.45 mg/L		
		E. coli	600 CFU/100mL		
8104-01-03	06/22/18	Total Nitrogen	1.63 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.091 mg/L		
		E. coli	600 CFU/100mL		
8104-01-06	06/22/18	Total Nitrogen	9.68 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	1.7 mg/L		
		E. coli	600 CFU/100mL		
8104-01-08	06/22/18	Total Nitrogen	2.49 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.059 mg/L		
		E. coli	600 CFU/100mL		
8104-01-09	06/22/18	Total Nitrogen	3.11 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.047 mg/L		
		E. coli	600 CFU/100mL		
8104-03-02	06/22/18	Total Nitrogen	1.63 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.13 mg/L		
		E. coli	600 CFU/100mL		

Outfall ID	Sample date	Parameter (Nitrogen, Phosphorus, Bacteria, or Other pollutant of concern)	Results	Name of Laboratory (if used)	Follow-up required?
8104-03-05	06/22/18	Total Nitrogen	3.74 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.11 mg/L		
		E. coli	<10 CFU/100mL		
8104-03-06	06/22/18	Total Nitrogen	6.95 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	1.6 mg/L		
		E. coli	600 CFU/100mL		
8104-03-07	06/25/18	Total Nitrogen	ND	Smith Environmental Lab	Yes
		Total Phosphorus	0.14 mg/L		
		E. coli	6000 CFU/100mL		
8104-03-08	06/25/18	Total Nitrogen	0.09 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.26 mg/L		
		E. coli	6000 CFU/100mL		
8104-03-10	06/25/18	Total Nitrogen	0.056 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.11 mg/L		
		E. coli	6000 CFU/100mL		
8104-03-11	06/25/18	Total Nitrogen	2.87 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.10 mg/L		
		E. coli	6000 CFU/100mL		
8104-04-12	06/25/18	Total Nitrogen	6.91 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.11 mg/L		
		E. coli	35000 CFU/100mL		
8104-04-14	06/25/18	Total Nitrogen	7.31 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	1.00 mg/L		
		E. coli	31000 CFU/100mL		
8104-04-16	06/25/18	Total Nitrogen	2.11 mg/L	Smith Environmental Lab	Yes
		Total Phosphorus	0.56 mg/L		
		E. coli	22000 CFU/100mL		

2.2 Credit for screening data collected under 2004 permit

If any outfalls to impaired waters were sampled under the 2004 MS4 permit, that data can count towards the monitoring requirements under the modified 2017 MS4 permit. Complete the table below to record sampling data for any outfalls to impaired waters under the 2004 MS4 permit.

Outfall ID	Sample date	Parameter (Nitrogen, Phosphorus, Bacteria, or Other pollutant of concern)	Results	Name of Laboratory (if used)	Follow-up required?	Outfall ID

*Follow-up investigation required (last column) if the following pollutant thresholds are exceeded:

Pollutant of concern	Pollutant threshold
Nitrogen	Total N > 2.5 mg/l
Phosphorus	Total P > 0.3 mg/l
Bacteria (fresh waterbody)	<ul style="list-style-type: none"> E. coli > 235 col/100ml for swimming areas or 410 col/100ml for all others Total Coliform > 500 col/100ml
Bacteria (salt waterbody)	<ul style="list-style-type: none"> Fecal Coliform > 31 col/100ml for Class SA and > 260 col/100ml for Class SB Enterococci > 104 col/100ml for swimming areas or 500 col/100 for all others
Other pollutants of concern	Sample turbidity is 5 NTU > in-stream sample

3. Follow-up investigations

(Section 6(i)(1)(D) / page 43)

Provide the following information for outfalls exceeding the pollutant threshold.

Outfall	Status of drainage area investigation	Control measure implementation to address impairment
6601-1		
6601-2		
6601-3		
6601-4		
6601-6		
6601-7		
6601-8		
6601-9		

Outfall	Status of drainage area investigation	Control measure implementation to address impairment
6601-10		
6601-11		
6601-12		
6601-13		
6601-14		
6601-15		
7300-01-01		
7300-01-02		
7300-01-02		
8104-01-01		
8104-01-02		
8104-01-03		
8104-01-06		
8104-01-08		
8104-01-09		
8104-03-02		
8104-03-05		
8104-03-06		
8104-03-07		
8104-03-08		
8104-03-10		
8104-03-11		
8104-04-12		
8104-04-14		
8104-04-16		

4. Prioritized outfall monitoring

(Section 6(i)(1)(D) / page 43)

Once outfall sampling has been completed for at least 50% of outfalls to impaired waters, identify 6 of the highest contributors of any pollutants of concern. Begin monitoring these outfalls on an annual basis by July 1, 2020.

Outfall	Sample Date	Parameter(s)	Results	Name of Laboratory (if used)

Part III: Additional IDDE Program Data

1. Assessment and Priority Ranking of Catchments data

(Appendix B (A)(7)(c) / page 5)

Provide a list of all catchments with ranking results (DEEP basins may be used instead of manual catchment delineations).

1. Catchment ID (DEEP Basin ID)	2. Category	3. Rank
7300-00-2-R3	High Priority	1
7300-00-2-R4	High Priority	2
7300-00-2-R5	High Priority	3
6601-00-2-R2	High Priority	4
6601-00-1	High Priority	5
6601-01-1	High Priority	6
8105-01-1-L3	High Priority	7
7300-02-1-L2	High Priority	8
7300-02-1-L2	High Priority	9
8104-00-2-L5	High Priority	10
8104-00-1-L2	High Priority	11
8100-00-1-L3	High Priority	12
8104-00-2-R1	High Priority	13
8104-02-2-R1	High Priority	14
8104-00-3-R1	High Priority	15
7300-00-2-L3	Low Priority	13

1. Catchment ID (DEEP Basin ID)	2. Category	3. Rank
8104-01-1-L1	High Priority	16
8104-00-2-L4	High Priority	17
8104-00-1	High Priority	18
7300-00-1-L1	Low Priority	1
7200-00-1-L2	Low Priority	2
8105-00-1-L1	Low Priority	3
7300-07-1*	Low Priority	4
7300-06-1	Low Priority	5
7301-02-1-L1	Low Priority	6
7301-02-1-L2	Low Priority	7
7300-02-1-L2	Low Priority	8
7300-02-1	Low Priority	9
7300-001-1	Low Priority	10
7300-00-2-L2	Low Priority	11
7300-00-2-R1	Low Priority	12
7200-00-1-L3	Low Priority	30

1. Catchment ID (DEEP Basin ID)	2. Category	3. Rank
7300-04-1	Low Priority	14
7300-00-2-R2	Low Priority	15
8104-00-1-L1	Low Priority	16
6601-01-1-L1	Low Priority	17
7300-00-2-R3	Low Priority	18
7200-03-1-L3	Low Priority	19
7300-03-1	Low Priority	20
7300-01-1	Low Priority	21
7300-02-1-L1	Low Priority	22
6600-01-1-L2	Low Priority	23
6600-01-1-L1	Low Priority	24
8804-02-1	Low Priority	25
8104-03-1	Low Priority	26
6601-02-1	Low Priority	27
7200-00-1-L3	Low Priority	28
7200-01-1	Low Priority	29

1. Catchment ID (DEEP Basin ID)	2. Category	3. Rank
7200-00-1*	Low Priority	31
7200-02-1	Low Priority	32
7200-02-1-L1	Low Priority	33
7200-01-1-L1	Low Priority	34
8104-01-01	Low Priority	35
8105-00-1	Low Priority	36
8105-01-1-L1	Low Priority	37
7400-00-1-L1	Low Priority	38
7301-01-1	Low Priority	39
7302-04-1	Low Priority	40
7302-05-01	Low Priority	41
7302-02-1	Low Priority	42
7302-01-2-L1	Low Priority	43
7300-07-1-L1	Low Priority	44
7300-07-1-L2	Low Priority	45
6601-03-1	Low Priority	46

2. Outfall and Interconnection Screening and Sampling data

(Appendix B (A)(7)(d) / page 7)

2.1 Dry weather screening and sampling data from outfalls and interconnections

For details on this requirement, visit www.nemo.uconn.edu/ms4/tasks/monitoring.htm. Refer to the blue column of the Monitoring comparison chart and the IDDE baseline monitoring flowchart.

Provide sample data for outfalls where flow is observed. Only include Pollutant of concern data for outfalls that discharge into stormwater impaired waterbodies. You may also attach an excel spreadsheet with the same data rather than copying it into this table.

Outfall / Interconnection ID	Screening / sample date	Ammonia	Chlorine	Conductivity	Salinity	E. coli or enterococcus	Surfactants	Water Temp	Pollutant of concern	If required, follow-up actions taken
------------------------------	-------------------------	---------	----------	--------------	----------	-------------------------	-------------	------------	----------------------	--------------------------------------

2.2 Wet weather sample and inspection data

For details on this requirement, visit www.nemo.uconn.edu/ms4/tasks/monitoring.htm. Refer to the green column of the Monitoring comparison chart and the IDDE catchment investigation flowchart.

Provide sample data for outfalls and key junction manholes of any catchment area with at least one System Vulnerability Factor. You may also attach an excel spreadsheet with the same data rather than copying it to this table.

Outfall / Interconnection ID	Sample date	Ammonia mg/L	Chlorine mg/L	Conductivity µmhos/cm	Salinity ppt	E. coli or Enterococcus CFU/100mL	Surfactants mg/L	Water Temp	Pollutant of concern
6601-1	06/28/18	0	0	416	0.14	6000	<0.05	65 °F	Nitrogen, Bacteria, Phosphorus
6601-2	06/28/18	0	0	355	0.17	6000	0.09	68 °F	Nitrogen, Bacteria, Phosphorus
6601-3	06/28/18	0	0	310	0.15	6000	0.06	69 °F	Nitrogen, Bacteria, Phosphorus
6601-4	06/28/18	0	0	570	0.28	6000	<0.05	65 °F	Nitrogen, Bacteria, Phosphorus
6601-6	06/28/18	0	0	569	0.28	6000	<0.05	68 °F	Nitrogen, Bacteria, Phosphorus
6601-7	06/28/18	0	0	2000	1.00	6000	0.22	69 °F	Nitrogen, Bacteria, Phosphorus
6601-8	06/28/18	0	0	437	0.21	6000	<0.05	69 °F	Nitrogen, Bacteria, Phosphorus
6601-9	06/28/18	0	0	438	0.22	6000	0.06	67 °F	Nitrogen, Bacteria, Phosphorus
6601-10	06/28/18	0	0	172	0.09	6000	<0.05	63 °F	Nitrogen, Bacteria, Phosphorus

Outfall / Interconnection ID	Sample date	Ammonia mg/L	Chlorine mg/L	Conductivity µmhos/cm	Salinity ppt	E. coli or Enterococcus CFU/100mL	Surfactants mg/L	Water Temp	Pollutant of concern
6601-11	06/28/18	0	0	222	0.11	6000	0.08	68 °F	Nitrogen, Bacteria, Phosphorus
6601-12	06/28/18	0	0	443	0.22	6000	0.07	65 °F	Nitrogen, Bacteria, Phosphorus
6601-13	06/28/18	0	0	236	0.12	6000	0.06	68 °F	Nitrogen, Bacteria, Phosphorus
6601-14	06/28/18	0	0	629	0.31	6000	<0.05	66 °F	Nitrogen, Bacteria, Phosphorus
6601-15	06/28/18	0	0	360	0.17	6000	0.09	65 °F	Nitrogen, Bacteria, Phosphorus
7300-01-01	06/22/18	0	0	1907	0.95	600	0.08	63 °F	Nitrogen, Bacteria, Phosphorus
7300-01-02	06/22/18	0	0	712	0.36	600	0.10	62 °F	Nitrogen, Bacteria, Phosphorus
8104-01-01	06/25/18	0	0	1130	0.57	28000	0.08	65 °F	Nitrogen, Bacteria, Phosphorus
8104-01-02	06/22/18	0	0	463	0.24	600	0.05	65 °F	Nitrogen, Bacteria, Phosphorus
8104-01-03	06/22/18	0	0	1348	0.68	600	<0.05	66 °F	Nitrogen, Bacteria, Phosphorus
8104-01-06	06/22/18	0	0	1361	0.69	600	0.14	63 °F	Nitrogen, Bacteria, Phosphorus
8104-01-08	06/22/18	0	0	757	0.38	600	0.07	66 °F	Nitrogen, Bacteria, Phosphorus
8104-01-09	06/22/18	0	0	774	0.39	600	0.05	66 °F	Nitrogen, Bacteria, Phosphorus
8104-03-02	06/22/18	0	0	538	0.28	600	<0.05	65 °F	Nitrogen, Bacteria, Phosphorus
8104-03-05	06/22/18	0	0	710	0.35	<10	0.06	62 °F	Nitrogen, Bacteria, Phosphorus
8104-03-06	06/22/18	1	0	621	0.31	600	0.06	63 °F	Nitrogen, Bacteria, Phosphorus
8104-03-07	06/25/18	0	0	181.4	0.09	6000	<0.05	63 °F	Nitrogen, Bacteria, Phosphorus
8104-03-08	06/25/18	0	0	401	0.2	6000	0.06	66 °F	Nitrogen, Bacteria, Phosphorus
8104-03-10	06/25/18	0	0	470	0.23	6000	0.05	65 °F	Nitrogen, Bacteria, Phosphorus
8104-03-11	06/25/18	0	0	304	0.16	6000	<0.05	63 °F	Nitrogen, Bacteria, Phosphorus

Outfall / Interconnection ID	Sample date	Ammonia mg/L	Chlorine mg/L	Conductivity µmhos/cm	Salinity ppt	E. coli or Enterococcus CFU/100mL	Surfactants mg/L	Water Temp	Pollutant of concern
8104-03-12	06/25/18	0	0	380	0.19	35000	<0.05	64 °F	Nitrogen, Bacteria, Phosphorus
8104-03-14	06/25/18	1.00	0	245.00	0.12	31000	<0.05	64 °F	Nitrogen, Bacteria, Phosphorus
8104-03-16	06/25/18	0.50	0	278.00	0.14	22000	0.08	65 °F	Nitrogen, Bacteria, Phosphorus

3. Catchment Investigation data

(Appendix B (A)(7)(e) / page 9)

For details on this requirement, visit www.nemo.uconn.edu/ms4/tasks/monitoring.htm. Refer to the green column of the Monitoring comparison chart and the IDDE catchment investigation flowchart.

3.1 System Vulnerability Factor Summary

For those catchments being investigated for illicit discharges (i.e. categorized as high priority, low priority, or problem) document the presence or absence of System Vulnerability Factors (SVF). If present, report which SVF's were identified. An example is provided below.

Outfall ID	Receiving Water	System Vulnerability Factors

Where SVFs are:

1. History of SSOs, including, but not limited to, those resulting from wet weather, high water table, or fat/oil/grease blockages.
2. Sewer pump/lift stations, siphons, or known sanitary sewer restrictions where power/equipment failures or blockages could readily result in SSOs.
3. Inadequate sanitary sewer level of service (LOS) resulting in regular surcharging, customer back-ups, or frequent customer complaints.
4. Common or twin-invert manholes serving storm and sanitary sewer alignments.
5. Common trench construction serving both storm and sanitary sewer alignments.
6. Crossings of storm and sanitary sewer alignments.
7. Sanitary sewer alignments known or suspected to have been constructed with an underdrain system;

8. Sanitary sewer infrastructure defects such as leaking service laterals, cracked, broken, or offset sanitary infrastructure, directly piped connections between storm drain and sanitary sewer infrastructure, or other vulnerability factors identified through Inflow/Infiltration Analyses, Sanitary Sewer Evaluation Surveys, or other infrastructure investigations.
9. Areas formerly served by combined sewer systems.
10. Any sanitary sewer and storm drain infrastructure greater than 40 years old in medium and densely developed areas.
11. Widespread code-required septic system upgrades required at property transfers (indicative of inadequate soils, water table separation, or other physical constraints of the area rather than poor owner maintenance).
12. History of multiple local health department or sanitarian actions addressing widespread septic system failures (indicative of inadequate soils, water table separation, or other physical constraints of the area rather than poor owner maintenance).

3.2 Key junction manhole dry weather screening and sampling data

Key Junction Manhole ID	Screening / Sample date	Visual/ olfactory evidence of illicit discharge	Ammonia	Chlorine	Surfactants

3.3 Wet weather investigation outfall sampling data


Outfall ID	Sample date	Ammonia	Chlorine	Surfactants

3.4 Data for each illicit discharge source confirmed through the catchment investigation procedure

Discharge location	Source location	Discharge description	Method of discovery	Date of discovery	Date of elimination	Mitigation or enforcement action	Estimated volume of flow removed

Part IV: Certification

"I have personally examined and am familiar with the information submitted in this document and all attachments thereto, and I certify that, based on reasonable investigation, including my inquiry of those individuals responsible for obtaining the information, the submitted information is true, accurate and complete to the best of my knowledge and belief. I understand that a false statement made in this document or its attachments may be punishable as a criminal offense, in accordance with Section 22a-6 of the Connecticut General Statutes, pursuant to Section 53a-157b of the Connecticut General Statutes, and in accordance with any other applicable statute."

Chief Elected Official or Principal Executive Officer	Document Prepared by
Print name: Rudolph P. Marconi, First Selectman Town of Ridgefield	Print name: Joseph Canas, PE, LEED AP, CFM, Principal Engineer Tighe & Bond
Signature / Date:	Signature / Date:  -03/31/2022
Email: selectman@ridgefieldct.org	Email: jacanas@tighebond.com

Tighe&Bond

APPENDIX A

MEMORANDUM

March 21, 2022

To: Jacob Muller, Director of Facilities

From: Alice W. Dew
Director of Planning and Zoning

**Re: Stormwater Management for Ridgefield, Connecticut
Ongoing Actions by the Planning and Zoning Department**

In response to your request for an update on actions taken by the Planning and Zoning Department relating to stormwater control in the Town of Ridgefield, the measures listed below are taken on a continuing basis to ensure proper management of stormwater. Most of these actions continue to be of major importance in the review of plans and inspections of sites for development within the Town.

1. The Department continues to prepare resolutions of approval for commercial and institutional development, multifamily development, and residential subdivisions with conditions appropriate to the control of stormwater, both during construction and post-development.
 - a. Resolutions contain conditions concerning the required installation and maintenance of erosion and sedimentation control facilities, citing the *2002 Connecticut Guidelines for Erosion and Sediment Control*, DEP Bulletin 34.
 - b. For major projects, resolutions also contain a condition requiring the preparation and recording of a Stormwater Maintenance Agreement on the Land Records in the Town Clerk's office. Such a condition formalizes the commitment of the property owner to maintain the approved stormwater management plan for the long term. By requiring the recording of such agreements, this obligation should also be disclosed whenever a title search is undertaken for a property that is subject to a Stormwater Maintenance Agreement, thereby ensuring that the obligation to properly maintain a previously approved stormwater management plan will survive changes in property ownership.
2. The Zoning Enforcement Officer mandates that any construction/project that is under zoning jurisdiction must meet or exceed the *2002 Connecticut Guidelines for Erosion and Sediment Control*, DEP Bulletin 34. For new construction, the controls are inspected by the Zoning Enforcement Officer pre-permit issuance. For all projects, controls are inspected by either the Zoning Enforcement Officer or the Inland Wetlands Agent, both at the initiation of, and on a continual basis throughout, construction. Final site

stabilization is required prior to sign-off for a Certificate of Zoning Compliance by the Zoning Enforcement Officer and, in some cases, also by the Inland Wetlands Agent.

- a. Applications for exterior construction, property owners or authorized agents must read and sign a form whereby they agree to install and maintain proper erosion controls and also acknowledge the steps that may be taken by the Zoning Enforcement Officer or Inland Wetlands Agent in order to ensure compliance. This requirement has continued.
 - b. Effective May 13, 2016, the Planning and Zoning Commission adopted amendments to the Town Zoning Regulations, enacting a new subsection entitled “Drainage Requirements and Stormwater Management” (Section 7.14) and also adopted revisions to a related existing subsection of the Zoning Regulations entitled “Excavation, Filling and Grading” (Section 7.5). The enactment of Section 7.14 of the Zoning Regulations is intended to regulate the development of sites to maintain post-development peak rates of runoff to a level that is less than or equal to pre-development conditions. These regulations are further intended to avoid adverse and cumulative impacts to downstream properties and structures, to provide for proper drainage that will maintain long-term stabilization of sites and management of stormwater, and to improve water quality. As originally enacted, the provisions of Section 7.14 apply to any application subject to review by the Planning and Zoning Commission, to proposed earth disturbance on a residential lot where the total area of disturbance equals or exceeds 7,500 square feet, to any disturbance (including that of less than 7,500 square feet) where the physical and topographical conditions on a property warrant stormwater control, and to construction of new impervious surfaces in excess of 750 square feet (excluding the paving or repaving of existing driveways). Since Section 7.14 of the Zoning Regulations is relatively new, the Planning and Zoning Commission is continuing to evaluate the efficacy of the newly enacted regulations in relation to the original environmental protection objectives and may consider some modifications to them following additional study.
3. The Town has employed a full time Inland Wetlands Agent/Conservation Enforcement Officer in July 2015. This staff member assists the Planning and Zoning Department in the enforcement and implementation of the Town’s Inland Wetlands and Watercourses Regulations, much of which is directly related to the protection of stormwater quality.
- a. The responsibility of the position includes inspection of sites where wetlands permits were issued and to ensure proper installation and maintenance of erosion control facilities. The Inland Wetlands Agent/Conservation Enforcement Officer also monitors Town-owned open space properties, working to resolve encroachments and disturbance that could also ultimately impact water quality.
 - b. The Town of Ridgefield adopted a Citation Ordinance concerning violations of the use of Open Space managed by the Conservation Commission (Article II of Chapter 24 of the Code of the Town of Ridgefield). The new provisions allow for

the issuance of warnings and/or citations for violations of provisions of the Conservation Ordinance.

4. On larger projects, the Planning and Zoning Commission and the Inland Wetlands Board may require the applicant to post fees to cover the cost of a third-party inspector, with weekly or bi-weekly reports to be submitted to the Planning and Zoning Department. This third-party inspector is responsible for reporting the need for repairs and maintenance of storm water management systems and erosion control facilities.
5. The Planning and Zoning Commission and the Inland Wetlands Board continue to hire, at the expense of the applicant, outside technical consultants for review of special permits and wetlands applications, to ensure that proper details are included in plans for storm water management and erosion control.
6. Whenever possible, applicants with plans for development affecting or connected to existing storm water control systems within the Town road system are required by the Commission to update and improve these facilities as part of the conditions of the development approval.
7. The Town has become aware that some contractors in the area are poorly informed regarding soil erosion impacts and effective erosion control. By more frequently requiring erosion control plans, contractors are made more aware of the challenges of individual properties in terms of stormwater management and how to best address those challenges. In addition, once a project has been approved and prior to the commencement of construction, staff of the Planning and Zoning Department as well as other departments of the Town typically meet with the applicant and other involved parties to review the conditions of approval and all protocols that are applicable to proposed construction work. The meetings have proven to be effective in preventing problems once construction commences.
8. In 2018, Planning and Zoning instituted the need for at least 2 layers of erosion control for any activity that occurs. The wording below is found on the first page of the online permitting system for any permit being applied for. It can be found here: [Town of Ridgefield Online Permit System | Ridgefield CT](#) and is noted below:

NOTICE

EROSION AND SEDIMENTATION PLAN REQUIREMENT MODIFICATIONS

Due to the increasing number and intensity of major storm events (1/2" or greater) erosion and sediment control plan minimum requirements are being increased to help mitigate significant negative impact to all wetlands, watercourses, roadways and properties.

This notice is applicable to all Development Applications and other activities that require the submission of an Erosion and Sedimentation Control Plan to the Land Use Office.

All Erosion and Sedimentation Control Plans submitted after September 1, 2018 showing a "single-line" erosion control barrier will no longer be accepted by the

Land Use Office.

*All Erosion and Sedimentation Control Plans will be required to show, at a minimum, **multiple layers of erosion control barriers at the most vulnerable points, and, when applicable, additional enhanced measures.***

*An example of an **enhanced measure** will be the requirement that all **Construction Entrances** will be required to be "**flared-out**" at the Construction Entrance's intersection with the roadway. Additionally, Construction Entrances will be required to be installed in such a manner that all vehicles will have to travel the full length of the Construction Entrance when entering and exiting the site.*

*Additional types of **enhanced measures** are: the use of **fore-bays, stone check dams, diversion swales, settling basins, etc.***

*Erosion and Sedimentation Control Plans submitted for properties that contain steep slopes, Inland Wetlands, Watercourses, Water-bodies, Floodplains, Aquifers, and other sensitive site features, may be **required to provide additional erosion control measures.** Erosion and Sediment Control Plans shall be designed so that **no silty water leaves the immediate work site, and or creates a negative impact to all wetlands, watercourses, roadways and properties.***


Any Erosion and Sediment Control Plan that is designed to allow water that has contact with any earth disturbed area to leave the Erosion Control protected area, will have to show how the water will be treated to ensure that only clean water will outflow.

Failure to properly maintain Erosion and Sediment Controls may result in the immediate revocation of permits

This is a summary of general procedures relating to stormwater management that are currently followed by the Planning and Zoning Commission, the Inland Wetlands Board, and the staff of the Planning and Zoning Department.

Tighe&Bond

APPENDIX B



TOWN OF RIDGEFIELD Department of Public Services

SWEEPING

- ALL ROADS IN ENVIRONMENTALLY SENSITIVE AREAS
(I.E. MAMANASCO ROAD, RAINBOW LAKE AREA, TWIN RIDGE, ETC.)
- ALL ROADS TO BE OVERLAYED
- ALL PUBLIC SCHOOL PARKING LOTS – MINIMUM OF ONCE IN THE SPRING
- ALL OTHER TOWN ROADS – AT LEAST ONCE DURING NORMAL SPRING OPERATIONS
- MAIN STREET – ONCE IN THE SPRING OR FOR SPECIAL EVENTS
- EMERGENCY CLEANUPS OF HAZARDOUS SPILLS AND TRAFFIC ACCIDENTS
- VENUS MUNICIPAL BUILDING LOTS – ONCE IN THE SPRING
- POLICE DEPARTMENT LOT – ONCE IN THE SPRING
- TWO FIRE DEPARTMENT LOTS – ONCE IN THE SPRING
- BRANCHVILLE R.R. STATION LOT – ONCE IN THE SPRING
- BAILY AVENUE LOT – MINIMUM OF ONCE IN THE SPRING
- GOVERNOR STREET LOT – MINIMUM OF ONCE IN THE SPRING
- RECREATION CENTER LOTS – MINIMUM OF ONCE IN THE SPRING
- ALL TOWN PARK ENTRANCES AND LOTS – MINIMUM OF ONCE IN THE SPRING
- COMMUNITY CENTER LOTS – ONCE IN THE SPRING AND FOR ANY SPECIAL EVENTS
- GOLF COURSE LOT – ONCE IN THE SPRING
- TRANSFER STATION – ONCE IN THE SPRING AND AS NEEDED
- RECYCLING CENTER LOT – ONCE IN THE SPRING AND AS NEEDED
- NEW BUS COMPANY ROAD – ONCE IN THE SPRING AND AS NEEDED
- HIGHWAY DEPARTMENT FACILITIES – ONCE IN THE SPRING AND AS NEEDED

CATCH BASIN AND PIPE CLEANING SCHEDULE

STARTING EVERY SPRING:

1. Mamanasco Lake Basins
2. Deep Sump Basins
 - a. Bayberry Road
 - b. Crest Drive
 - c. Farmingville Road
 - d. Mountain Road
 - e. Old Musket Lane
 - f. Poplar Road
 - g. South Street
3. Paving List: Roads to be overlaid, milled or reclaimed
4. When finished with the basins above, all remaining basins will be cleaned on a rotating basis by plow route.

OPEN HEADERS / SILT COLLECTION PITS

Cleaned by excavator once a year or as needed.

1. Ashbee Lane
2. Mamanasco – 12th Lane
3. North Street
4. Old Sib Road

TOWN OF RIDGEFIELD POLICY AND PROCEDURES
PUBLIC SERVICES DEPARTMENT BEST PRACTICES

Standard Operating Procedures
Ridgefield, Connecticut

Date: March 3, 2022

Policy: Snow Removal and Ice Control

Approval Date:

OBJECTIVE: It is the goal and intent of the Town of Ridgefield to provide timely, efficient and cost-effective winter maintenance, snow removal and ice control on the roadways of the municipality for the safety and benefit of the Town's residents and the general motoring public.

PROCEDURE: The objective stated above will be achieved by implementation and execution of the procedures and tasks outlined in the Town of Ridgefield Winter Operations Snow Removal and Ice Control Procedures. Due to the many variables that are inherent in New England weather, each storm and/ or weather event may require slightly different effort and/ or emphasis on any number of maintenance tasks, which together determine the overall winter maintenance, snow removal or ice control strategy.

LEVEL OF SERVICE: It is not possible to maintain bare, snow and ice-free roads during a storm. It is the intention of the Town to provide practical, safe access to homes, businesses and municipal facilities during winter storms.

Pre-treatment for snow and ice control is initiated prior to the actual start of the storm. Treatment for snow and ice control may take place during the active portion of the storm if deemed effective, or may be applied following the storm to assist in cleanup operations. It should be noted that salt has a much slower effect on melting snow and ice at temperatures below 20 degrees.

It is our policy to start to conduct snow removal operations upon accumulations of two-inches of snowfall. The Director of Public Services may, at his or her discretion based upon weather information reports, elect to remove snow at greater or lesser accumulations.

COMMAND: Direction of all winter maintenance activities for the Town of Ridgefield is vested with the Director of Public Services, or his or her designee.

EXECUTION: The policy outlined above is intended to serve as the normal operating procedures for winter maintenance, snow removal and/ or ice control for the Town of

Ridgefield. One or more of the following, which may delay or prevent the implementation of this policy, may affect all or any part of this Policy:

- Equipment Breakdown
- Snow Accumulation in Excess of 1 inch per hour
- Freezing Rain or Other Icing Conditions
- Traffic Congestion
- Emergencies
- Personnel illness

ADOPTION:

The Town of Ridgefield has adopted the Winter Operations Snow Removal and Ice Control Policy effective _____. All residents are encouraged to familiarize themselves with the content as it describes the condition that one might expect to encounter before, during and following a winter storm event.

BOARD OF SELECTMEN
TOWN OF RIDGEFIELD

**WINTER OPERATIONS
SNOW REMOVAL AND ICE CONTROL PROCEDURES
(Includes Roadways, Sidewalks, Parking Areas)**

EQUIPMENT: The Department of Public Services utilizes all the assets of the department as needed to address snow emergencies,

ROUTES: Currently, the Town is divided into 14 major plow and/or treatment routes, with 3 smaller routes for more narrow roads. The Town uses one or more wheeled loaders in the downtown area to load snow for removal, as it may restrict parking or line of sight distances at intersections.

MANPOWER: The Town of Ridgefield has 22 full-time personnel assigned to its winter maintenance operations. In addition, a labor pool of 8 outside contractors are regularly called into service for plowing.

MATERIALS: The Town purchases 3000 tons of rock salt treated with “Ice B Gone Magic” per season. This is stored in a covered barn at 60 South St. In the event more is needed it will get replenished throughout the season. Winter maintenance routes are pre-treated with an application of treated salt. The salt is applied to the center of the roadway where traffic can work the material traveling either way. The salt creates liquid brine, which melts snow and/or ice, and resists snow and ice packing on the roadway.

COMMUNICATIONS: All of the Department of Public Services rolling stock is equipped with radios capable of transmitting and receiving. Each plow and equipment operator is assigned a unique call number. Base units are also maintained at the Highway Dept. garage and office, and each operator has the ability to communicate with the Town police and fire departments.

SCHOOLS: The Parks & Recreation Department, with assistance from the Department of Public Services when necessary, has the responsibility for the clearing of snow and the winter treatment of the Town schools' access roads and parking lots. On days when school is in session, winter maintenance efforts must be timed to coincide with bus routing and delivery. The Board of Education has responsibility for the clearing of snow and ice from school sidewalks and staircases.

- The Director of Public Services, or a designated official representative, shall contact the School Superintendent, or a designated official representative, and advise as to the condition of the municipality's roads, in order to determine the safety of students using school buses. The school representative(s) shall make the decision to cancel or postpone school for that day.

SIDEWALKS: Snow clearance will be the sole responsibility of the property owner or business owner with frontage abutting the sidewalk. Removal of snow from sidewalks is required within 8 hours of the cessation of the storm (but not later than noon of the following day). Sand and/ or salt must be broadcast as necessary. If snow has not been removed within 24 hours, the Board of Selectmen will instruct a contractor to do so at the property owner's / business owner's expense.

PARKING: There is NO OVERNIGHT PARKING on any Town street, or in any municipal parking lot, in the Town of Ridgefield. The Town has also enacted a winter parking ban effective from November 15th to April 15th of each year. From the time a storm begins until such time all streets are clear of snow and ice, the overnight parking ban is extended to include daylight hours. Parking in the street will result in the vehicle being towed at the owner's expense. Fines may also be levied at the discretion of the Police Department. The purpose of this winter parking ban is to allow winter maintenance crews unobstructed snow removal and ice control routes, as much as possible, to maintain the maximum effectiveness of their efforts.

PLOW ROUTE PRIORITIES: With a total of 190 miles of roads from which to remove snow and control ice, the Department of Public Services has to assign priorities for winter maintenance route activity. This is in order to maximize the effectiveness of their efforts for the motoring public.

- A. Resources will be diverted for Emergency Assistance for the Police and Fire Departments, and will take priority over all regular plowing/salting.
- B. School bus routes will be given the first priority during school days. In the event the busses are on the road during a snow event, each route will be maintained as best as possible depending on the type of storm and rate of snowfall.

- C. The business district will be maintained as much as possible during business hours, with the main snow clearance effort to be done at night during the snow parking curfew hours. Public safety is a very great concern in this area due to many cars and pedestrians in the area.
- D. Public parking areas at the rear of the Town offices, municipal buildings and municipal lots will be maintained by plowing during the winter storm. The application of slip resistant materials will be applied after the storm as determined to be needed by the Director of Public Services or the Parks and Recreation Superintendent.

STATE ROADS AND PUBLIC SIDEWALKS DO NOT RECEIVE WINTER MAINTENANCE BY THE TOWN OF RIDGEFIELD as part of its ongoing winter maintenance activities.

- A. Any State road within the Town limits is the responsibility of the State D.O.T. Office in Danbury. [**Route 33, Route 35, Route 102, Route 116, Route 822 (W. Mountain Rd), and Route 835 (West Ln)**]
- B. School sidewalks are the responsibility of the Board of Education.
- C. Public sidewalks are the responsibility of the business or homeowner with frontage on the sidewalk.

DAMAGE TO PRIVATE PROPERTY: The Town is not responsible for damage to private property that is located within the public right-of-way. The right-of-way (ROW) is typically 50' wide and extends approximately 10 feet to either side of the paved roadway surface. Property owners often confuse this area of public ROW with their property. Homeowners often extend lawns, place mailboxes, install sprinkler systems, plant flowers, shrubs & trees, and erect fences or stone walls in these areas. These improvements often enhance the appearance of the property but create an obstruction to good maintenance of the roadway.

In the event of personal property damage, other than mailboxes, the Town of Ridgefield will only be responsible to repair or replace damaged property that is located on private property and not within the public ROW and that has actually been contacted or struck by the snow removal equipment. The Town's policy regarding mailbox damage is stated below.

MAILBOXES: In the event of mailbox damage, the Town of Ridgefield will only be responsible to repair or replace damaged mailboxes having been in actual contact with the snow removal equipment.

DRIVEWAYS: When residents, or their plowing contractors, are shoveling or plowing the entrance to their driveways, all snow must be pushed to the right side of the driveway (as you face the road); this will help minimize the amount of snow that will ultimately be pushed back into the driveways during the widening out phase of operations. Snow must not be thrown into the roads or plowed across the road. It is in violation of State and

local codes by causing hazardous road conditions and will only be pushed back where it came from. Violators could be subject to fines.

POST STORM OPERATIONS: As determined by the Department of Public Services, trucks and equipment shall be cleaned and repaired as needed to prepare for the next storm event. Snow removal from Main St and the Downtown Business area will normally take place on the following night, or as soon as events allow. Snow removal from intersections and obstructed sight lines will take place as needed. Mailbox evaluations and repairs will likewise be done as needed.

TERMINOLOGY:

- "Pre-Treat or Anti-Icing" – Applying treated salt to roads prior to a storm.
- "Re-Treat or De-Icing" – Applying treated salt to roads during a storm event wherever ice and snow may build up.
- "Open of Routes" – Keeping the center of the roads plowed and open for travel.
- "Push Back or Cleanup Routes" – Pushing snow back from curb to curb, as well as cleaning up all intersections and culs de sac.
- "Slush Off" – Plowing off any slush/snow that has loosened up from treating with salt.
- "Treated Salt" – Rock salt treated with IBG Magic liquid, which is an agricultural byproduct of the distilling process that has been blended with magnesium chloride. For more info, please visit www.ibgmagic.com.

	MILES																	
		2019	MILES	CB	CB	SUB	CB	SUB	CB	SUB	TOTAL	2019	MILES	# SWEEPER	Sweeper	TOTAL		
		DATE	DONE	NUMBER	MATERIAL	TOT.	NUMBER	TOT.	NUMBER	TOT.	CUBIC	DATE	DONE	DUMPS	Material	CUBIC		
				CLEANED	EXTRACTED		CLEANED		CLEANED		YARDS	SWEPT	TOWN	TOWN	Extracted	YARDS		
				36INX.92			48INX1.2		60INX1.6									
													(SWE X 3.5)					
AARONS CT	0.18		0.00			0.00			0.00		0.00		7/8	1	0.18	0.35	3.00	1.23
ABBOTT AVE	0.19		0.00			0.00			0.00		0.00		4/3	1	0.19	1.00	8.00	3.50
ACORN PL	0.24		0.00			0.00			0.00		0.00		8/27	1	0.24	0.50	4.00	1.75
ACRE LN	0.42		0.00			0.00			0.00		0.00		8/19	1	0.42	0.50	4.00	1.75
ADAMS RD	0.26		0.00			0.00			0.00		0.00		4/9	1	0.26	1.00	8.00	3.50
ARMAND PL	0.11		0.00			0.00			0.00		0.00				0.00			0.00
ARMAND RD	0.91		0.00			0.00			0.00		0.00				0.00			0.00
ARROWHEAD PL	0.11		0.00			0.00			0.00		0.00				0.00			0.00
ASCOT WAY	0.10		0.00			0.00			0.00		0.00		8/19	1	0.10	0.35	3.00	1.23
ASHBEE LN	0.45		0.00			0.00			0.00		0.00				0.00			0.00
ASPEN LEDGES RD	0.47		0.00			0.00			0.00		0.00				0.00			0.00
ASPEN MILL RD	0.22		0.00			0.00			0.00		0.00		5/24	1	0.22	0.50	4.00	1.75
BAILEY AVE	0.23		0.00			0.00			0.00		0.00				0.00			0.00
BANKS HILL PL	0.16		0.00			0.00			0.00		0.00		8/9	1	0.16	0.35	3.00	1.23
BARLOW MOUNTAIN RD	1.01		0.00			0.00			0.00		0.00		7/29	1	1.01	3.00		10.50
BARNUM PL	0.23		0.00			0.00			0.00		0.00				0.00			0.00
BARRACK HILL RD	2.72	1/29	1	2.72	4	3.00	3.68	0.00	0.00	0.00	3.68		5/16	1	2.72	4.00	32.00	14.00
BATES FARM RD	0.15		0.00			0.00			0.00		0.00		7/13	1	0.15	0.00	0.00	0.00
BAYBERRY HILL RD	0.71	1/29	1	0.71	7	5	6.44	0.00	0.00	0.00	6.44		8/15	1	0.71	1.50	12.00	5.25
BEAR MOUNTAIN RD	0.20		0.00			0.00			0.00		0.00		7/29	1	0.20	3.00	24.00	10.50
BEAVER BROOK RD	0.86		0.00			0.00			0.00		0.00		7/9	1	0.86	1.50	12.00	5.25
BEECHWOOD LN	0.19		0.00			0.00			0.00		0.00				0.00			0.00
BEERS LN (PRIVATE)			0.00			0.00			0.00		0.00				0.00			0.00
BELVEDERE CT	0.27		0.00			0.00			0.00		0.00		7/30	1	0.27	1.00	8.00	3.50
BENNETTS FARM RD	3.36		0.00			0.00			0.00		0.00		7/13	1	3.36	1.00	8.00	3.50
BENSON RD	0.30		0.00			0.00			0.00		0.00		7/10	1	0.30	0.50	4.00	1.75
BERTHIER PL	0.27		0.00			0.00			0.00		0.00		7/12	1	0.27	0.50	4.00	1.75
BIRCH CT	0.13		0.00			0.00			0.00		0.00		4/30	1	0.13	0.50	4.00	1.75
BIRCH LN	0.14		0.00			0.00			0.00		0.00		7/30	1	0.14	0.00	0.00	0.00
BLACK PINE RD	0.11		0.00			0.00			0.00		0.00		5/23	1	0.11	1.00	8.00	3.50
BLACKMAN RD	0.66		0.00			0.00			0.00		0.00		8/9	1	0.66	2.00	16.00	7.00
BLACKSMITH RIDGE	0.18		0.00			0.00			0.00		0.00		4/11	1	0.18	0.50	4.00	1.75
BLOOMER RD	0.42		0.00			0.00			0.00		0.00				0.00			0.00
BLUE RIDGE RD	0.53		0.00			0.00			0.00		0.00		4/25	1	0.53	0.50	4.00	1.75
BOB HILL RD	0.83		0.00			0.00			0.00		0.00		5/22	1	0.83	2.00	16.00	7.00
BOBBYS CT	0.50		0.00			0.00			0.00		0.00		8/5	1	0.50	0.50	4.00	1.75
BOGUS RD	0.41		0.00			0.00			0.00		0.00				0.00			0.00
BOULDER HILL LN	0.19		0.00			0.00			0.00		0.00		8/19	1	0.19	1.50	12.00	5.25
BOULDER HILL RD	0.36		0.00			0.00			0.00		0.00		8/19	1	0.36	0.50	4.00	1.75
BRIDLE TR	0.44		0.00			0.00			0.00		0.00		7/12	1	0.44	1.00	8.00	3.50
BROOK LN	0.08		0.00			0.00			0.00		0.00				0.00			0.00
BROOKSIDE RD	0.17		0.00			0.00			0.00		0.00		7/17	1	0.17	0.00	0.00	0.00
BRUSCHI LN	0.25	2/5	1	0.25	3	5	2.76	0.00	0.00	0.00	2.76		8/15	1	0.25	1.00	8.00	3.50
BRYON AVE	0.20		0.00			0.00			0.00		0.00		4/3	1	0.20	0.75	2.00	2.63
BUS RD	0.10		0.00			0.00			0.00		0.00				0.00			0.00
BUCK HILL RD	0.37		0.00			0.00			0.00		0.00				0.00			0.00
BUCKSPEN LN	0.19		0.00			0.00			0.00		0.00				0.00			0.00

CAINS HILL RD	0.49			0.00			0.00		0.00	0.00	0.00		8/9	1	0.49	0.50	4.00	1.75
CANTERBURY LN	0.28			0.00			0.00		0.00	0.00	0.00		7/10	1	0.28	1.00	8.00	3.50
CARDINAL CT	0.10			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CASA TORCH LN	0.09			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CASEY LN	0.26			0.00			0.00		0.00	0.00	0.00		5/15	1	0.26	2.00	16.00	7.00
CATTLE PEN LN	0.25	3/20	1	0.25	8	13	7.36		0.00	0.00	7.36				0.00			0.00
CAUDATOWA DR	0.21			0.00			0.00		0.00	0.00	0.00		4/25	1	0.21	0.50	4.00	1.75
CAVALRY CT	0.10			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CEDAR LN	0.58			0.00			0.00		0.00	0.00	0.00		8/29	1	0.58	0.50	4.00	1.75
CHARTER OAK CT	0.15			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CHERRY LN (PRIV.- DIRT)	0.14			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CHELSEA PL				0.00			0.00		0.00	0.00	0.00		4/25	1	0.00	0.25	2.00	0.88
CHESTNUT HILL RD	1.15			0.00			0.00		0.00	0.00	0.00		7/12	1	1.15	2.00	16.00	7.00
CHIPMUNK LN	0.15			0.00			0.00		0.00	0.00	0.00		7/9	1	0.15	0.50	4.00	1.75
CHRISTOPHER RD	0.17	4/3	1	0.17	6	9.60	5.52		0.00	0.00	5.52				0.00			0.00
CIRCLE DR	0.27			0.00			0.00		0.00	0.00	0.00		5/24	1	0.27	1.00	8.00	3.50
CIRCLE DR EAST	0.26			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CLAYTON PL	0.18			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CLEARVIEW DR	0.05			0.00			0.00		0.00	0.00	0.00		7/29	1	0.05	1.00	8.00	3.50
CLEARVIEW TER	0.06			0.00			0.00		0.00	0.00	0.00		7/29	1	0.06	0.00	0.00	0.00
COBBLERS LN	0.10			0.00			0.00		0.00	0.00	0.00		4/10	1	0.10	0.50	4.00	1.75
COLONIAL LN	0.16			0.00			0.00		0.00	0.00	0.00				0.00			0.00
COMSTOCK CT	0.14	3/20	1	0.14			0.00	0.00	5	8.00	8.00				0.00			0.00
CONANT RD	0.19			0.00			0.00		0.00	0.00	0.00		4/10	1	0.19	0.50	4.00	1.75
CONLEY CT	0.11			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CONTINENTAL DR	0.49	1/31	1	0.49	19		17.48	0.00		0.00	17.48				0.00			0.00
CONTINENTAL DR (EXT.)	0.09			0.00			0.00		0.00	0.00	0.00				0.00			0.00
COOPER HILL RD	0.34			0.00			0.00		0.00	0.00	0.00		8/15	1	0.34	2.00	16.00	7.00
COOPER RD	0.63			0.00			0.00		0.00	0.00	0.00		8/15	1	0.63	2.00	16.00	7.00
COOPER BEACH LA	0.11			0.00			0.00		0.00	0.00	0.00				0.00			0.00
COPPS HILL EXT.	0.37			0.00			0.00		0.00	0.00	0.00		5/27	1	0.37	1.00	8.00	3.50
CORNERSTONE CT	0.05			0.00			0.00		0.00	0.00	0.00				0.00			0.00
COTTAGE ST (PRIVATE)	0.06			0.00			0.00		0.00	0.00	0.00				0.00			0.00
COUNTRY CLUB RD	0.28			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CRAIGMOOR RD	0.50	1/27	1	0.50	5	3	4.60	0.00		0.00	4.60		5/24	1	0.50	2.00	16.00	7.00
CRANBERRY LN	0.09			0.00			0.00		0.00	0.00	0.00		5/20	1	0.09	0.35	3.00	1.23
CREAMERY LN	0.19	2/7/2020	1	0.19	7	5	6.44	0.00		0.00	6.44		8/19	1	0.19	0.35	3.00	1.23
CRESCENT DR	0.44	4/5	1	0.44	3	2	2.76	0.00		0.00	2.76		7/29	1	0.44	0.00	0.00	0.00
CREST RD	0.30			0.00			0.00		0.00	0.00	0.00		7/13	1	0.30	0.00	0.00	0.00
CROSBY CT	0.15			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CROSS HILL RD	0.38	1/27	1	0.38	5	3	4.60	0.00		0.00	4.60		7/29	1	0.38	1.00	8.00	3.50
DAVIS LN	0.05			0.00			0.00		0.00	0.00	0.00				0.00			0.00
DAWN LN	0.13			0.00			0.00		0.00	0.00	0.00				0.00			0.00
DEER HILL DR	0.44			0.00			0.00		0.00	0.00	0.00		8/29	1	0.44	0.50	4.00	1.75
DEPOT RD	0.06			0.00			0.00		0.00	0.00	0.00		8/29	1	0.06	2.00	16.00	7.00
DILLMAN CT	0.12			0.00			0.00		0.00	0.00	0.00		7/10	1	0.00	0.35	3.00	1.23
DLHY CT	0.07			0.00			0.00		0.00	0.00	0.00				0.00			0.00
DOGWOOD DR	0.20			0.00			0.00		0.00	0.00	0.00		8/6	1	0.20	0.50	4.00	1.75
DONNELLY DR	0.40			0.00			0.00		0.00	0.00	0.00		8/28	1	0.40	0.35	3.00	1.23
DOUBLEDAY LN	0.15			0.00			0.00		0.00	0.00	0.00		4/22	1	0.15	0.35	3.00	1.23
DOUGLAS LN	0.30			0.00			0.00		0.00	0.00	0.00				0.00			0.00
DOWLING DR	0.24	2/11	1	0.24	5	3	4.60	0.00		0.00	4.60		5/20	1	0.24	0.50	4.00	1.75
DOWNESBURY CT	0.24			0.00			0.00		0.00	0.00	0.00		8/14	1	0.24	1.00	8.00	3.50

DRUID LN	0.14			0.00			0.00	0.00	0.00	0.00		8/5	1	0.14	1.00	8.00	3.50
EAST FARM LN	0.24			0.00			0.00	0.00	0.00	0.00				0.00			0.00
EAST RIDGE	0.55			0.00			0.00	0.00	0.00	0.00		3/25	1	0.55	1.50	12.00	5.25
ELEVEN LEVELS RD	1.05			0.00			0.00	0.00	0.00	0.00				0.00			0.00
ENCAMPMENT PL	0.24			0.00			0.00	0.00	0.00	0.00				0.00			0.00
EUSTIS LN	0.23			0.00			0.00	0.00	0.00	0.00				0.00			0.00
EVERGREEN PL	0.12			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FAIRFIELD CT	0.10			0.00			0.00	0.00	0.00	0.00		4/3	1	0.10	0.25	2.00	0.88
FAIRVIEW AVE	0.14			0.00			0.00	0.00	0.00	0.00		4/3	1	0.14	0.50	4.00	1.75
FARM HILL RD	0.22			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FARMINGVILLE RD	1.60			0.00			0.00	0.00	0.00	0.00		8/9	1	1.60	2.00	16.00	7.00
FARRAR LN	0.17			0.00			0.00	0.00	0.00	0.00		4/4	1	0.17	5.00	40.00	17.50
FIELDCREST DR	0.77			0.00			0.00	0.00	0.00	0.00		8/28	1	0.77	0.50	4.00	1.75
FIFTH LN (PRIVATE)	0.09			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FILLMORE LN	0.10			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FINCH DR	0.10			0.00			0.00	0.00	0.00	0.00		7/10	1	0.10	0.50	4.00	1.75
FIRE HILL RD	0.60			0.00			0.00	0.00	0.00	0.00		8/5	1	0.60	1.50	8.40	5.25
FIRST LN (PRIVATE)	0.09	4/21	1	0.09	10	6.60	9.20	0.00	0.00	9.20				0.00			0.00
FISHER LN	0.11			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FLAT ROCK DR	0.59			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FLORIDA HILL RD	1.79			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FLORIDA RD	1.39			0.00			0.00	0.00	0.00	0.00		8/14	1	1.39	3.00	24.00	10.50
FOREST DR	0.18			0.00			0.00	0.00	0.00	0.00		8/28	1	0.18	0.35	3.00	1.23
FOURTH LN (PRIVATE)	0.09			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FOX DR	0.13			0.00			0.00	0.00	0.00	0.00		5/22	1	0.13	0.00	0.00	0.00
FULLING MILL LN	0.51			0.00			0.00	0.00	0.00	0.00		8/9	1	0.51	0.50	4.00	1.75
GAY RD	0.22			0.00			0.00	0.00	0.00	0.00		8/20	1	0.22	0.50	4.00	1.75
GEO.WASHINGTON HWY	1.20	1/3		0.00			0.00	0.00	0.00	0.00				0.00			0.00
GILBERT ST	0.25			0.00			0.00	0.00	0.00	0.00		3/26	1	0.25	2.00	16.00	7.00
GINO'S WAY				0.00			0.00	0.00	0.00	0.00		4/3	1	0.00	0.35	3.00	1.23
GLEN RD	0.20			0.00			0.00	0.00	0.00	0.00				0.00			0.00
GLENBROOK CT	0.03			0.00			0.00	0.00	0.00	0.00		8/12	1	0.03	0.35	3.00	1.23
GOLF CT	0.06			0.00			0.00	0.00	0.00	0.00		4/24	1	0.06	0.75	6.00	2.63
GOLF LN	0.62			0.00			0.00	0.00	0.00	0.00		4/24	1	0.62	2.00	16.00	7.00
GOVERNOR ST	0.43			0.00			0.00	0.00	0.00	0.00		3/25	1	0.43	0.50	4.00	1.75
GRAND VIEW DR	0.58			0.00			0.00	0.00	0.00	0.00		4/24	1	0.58	2.00	16.00	7.00
GREAT HILL RD	1.38			0.00			0.00	0.00	0.00	0.00		7/17	1	1.38	2.00	16.00	7.00
GREAT POND RD	0.33			0.00			0.00	0.00	0.00	0.00		8/6	1	0.33	1.00	8.00	3.50
GREAT ROCKS PL	0.11			0.00			0.00	0.00	0.00	0.00		8/20	1	0.11	0.50	4.00	1.75
GREEN LN	0.18			0.00			0.00	0.00	0.00	0.00				0.00			0.00
GREENFIELD ST	0.12	2/4	1	0.12			0.00	0.00	9	14.40	14.40	4/3	1	0.12	0.50	4.00	1.75
GREENRIDGE DR (PRIV)	0.08			0.00			0.00	0.00	0.00	0.00				0.00			0.00
GRIFFIN HILL LN	0.09			0.00			0.00	0.00	0.00	0.00				0.00			0.00
GRIFFITH LN	0.12			0.00			0.00	0.00	0.00	0.00		4/3	1	0.12	0.35	3.00	1.23
GROVE ST	0.49			0.00			0.00	0.00	0.00	0.00		3/26	1	0.49	2.50	20.00	8.75
HALPIN LN	0.18			0.00			0.00	0.00	0.00	0.00		3/25	1	0.18	2.00	16.00	7.00
HAMILTON RD	0.19			0.00			0.00	0.00	0.00	0.00		4/11	1	0.19	0.50	4.00	1.75
HARDING DR	0.35			0.00			0.00	0.00	0.00	0.00		7/10	1	0.35	0.50	4.00	1.75
HARRISON CT	0.22			0.00			0.00	0.00	0.00	0.00		4/30	1	0.22	0.35	3.00	1.23
HARVEY RD	0.41			0.00			0.00	0.00	0.00	0.00		8/14	1	0.41	1.00	8.00	3.50
HAULEY PL	0.12			0.00			0.00	0.00	0.00	0.00		8/9	1	0.12	0.50	4.00	1.75
HAVILAND RD	1.61			0.00			0.00	0.00	0.00	0.00		8/6	1	1.61	2.00	16.00	7.00
HAWTHORNE HILL RD	0.07			0.00			0.00	0.00	0.00	0.00				0.00			0.00

HAYES LN	0.26			0.00			0.00		0.00		0.00			0.26	0.50	4.00	1.75	
HERITAGE LN (PRIVATE)	0.09			0.00			0.00		0.00		0.00			0.00			0.00	
HERMIT LN	0.09			0.00			0.00		0.00		0.00			0.00			0.00	
HESSIAN DR	0.13			0.00			0.00		0.00		0.00		4/4	1	0.13	1.00	8.00	3.50
HICKORY LN	0.26			0.00			0.00		0.00		0.00		8/14	1	0.26	1.00	8.00	3.50
HIDDEN LAKE CT	0.06	4/4	1	0.06	4	3	3.68		0.00		0.00				0.00			0.00
HIGH PASTURES CT	0.24			0.00			0.00		0.00		0.00		4/4	1	0.24	1.00	8.00	3.50
HIGH RIDGE AVE	0.96			0.00			0.00		0.00		0.00		4/3	1	0.96	8.00	16.00	28.00
HIGH VALLEY RD	0.24			0.00			0.00		0.00		0.00				0.00			0.00
HIGHVIEW DR	0.21			0.00			0.00		0.00		0.00		7/17	1	0.21	0.00	0.00	0.00
HIGHVIEW RD (PRIVATE)	0.20			0.00			0.00		0.00		0.00				0.00			0.00
HILLCREST CT	0.12			0.00			0.00		0.00		0.00				0.00			0.00
HILLSDALE AVE	0.08			0.00			0.00		0.00		0.00				0.00			0.00
HOBBY DR	0.43			0.00			0.00		0.00		0.00		5/24	1	0.43	0.50	4.00	1.75
HOLMES RD	0.98			0.00			0.00		0.00		0.00		4/11	1	0.98	1.50	12.00	5.25
HOWES CT	0.03			0.00			0.00		0.00		0.00				0.00			0.00
HUCKLEBERRY LN	0.14			0.00			0.00		0.00		0.00		8/20	1	0.14	0.50	4.00	1.75
HULDA LN	0.16			0.00			0.00		0.00		0.00		8/6	1	0.16	0.50	4.00	1.75
HULL PL	0.20			0.00			0.00		0.00		0.00		8/9	1	0.20	0.35	3.00	1.23
HUNT CT	0.03			0.00			0.00		0.00		0.00				0.00			0.00
HUNTER LN	0.46	9/11	1	0.46			0.00	1	0.00	1.60	1.60		8/6	1	0.46	1.00	8.00	3.50
HUNTER LN WEST	0.10			0.00			0.00		0.00		0.00				0.00			0.00
HUSSARS CAMP PL	0.26			0.00			0.00		0.00		0.00				0.00			0.00
INDIAN CAVE RD	0.65			0.00			0.00		0.00		0.00				0.00			0.00
ISLAND HILL AVE	0.14			0.00			0.00		0.00		0.00		3/26	1	0.14	0.50	4.00	1.75
IVES CT (PRIVATE)				0.00			0.00		0.00		0.00				0.00			0.00
IVY HILL RD	1.41			0.00			0.00		0.00		0.00		8/9	1	1.41	3.00	24.00	10.50
JACKSON CT	0.07			0.00			0.00		0.00		0.00		4/3	1	0.07	0.50	4.00	1.75
JEFFERSON DR	0.36			0.00			0.00		0.00		0.00				0.00			0.00
JEFFRO DR	0.21			0.00			0.00		0.00		0.00				0.00			0.00
KEELER CT	0.19			0.00			0.00		0.00		0.00				0.00			0.00
KEELER DR	1.59			0.00			0.00		0.00		0.00		7/10	1	1.59	1.00	8.00	3.50
KEELER PL	0.07			0.00			0.00		0.00		0.00		7/10	1	0.07	0.50	4.00	1.75
KELLOGG ST	0.22			0.00			0.00		0.00		0.00				0.00			0.00
KENDRA CT	0.06			0.00			0.00		0.00		0.00				0.00			0.00
KETCHAM RD	0.23			0.00			0.00		0.00		0.00		5/15	1	0.23	3.00	24.00	10.50
KIAHS BROOK LN	0.12			0.00			0.00		0.00		0.00		5/24	1	0.12	0.50	4.00	1.75
KILN HILL LN	0.12			0.00			0.00		0.00		0.00		4/10	1	0.12	1.00	8.00	3.50
KIMBERLY CT	0.11			0.00			0.00		0.00		0.00				0.00			0.00
KING LN	0.23			0.00			0.00		0.00		0.00		4/3	1	0.23	1.00	8.00	3.50
KINGSWOOD PL	0.23			0.00			0.00		0.00		0.00				0.00			0.00
KNOLLWOOD DR	0.76			0.00			0.00		0.00		0.00				0.00			0.00
LAFAYETTE AVE	0.12			0.00			0.00		0.00		0.00		5/27	1	0.12	0.35	3.00	1.23
LAKE RD	0.09			0.00			0.00		0.00		0.00				0.00			0.00
LAKESIDE DR (PRIVATE)	0.24			0.00			0.00		0.00		0.00				0.00			0.00
LAKESIDE D EXT (PRIV)	0.10			0.00			0.00		0.00		0.00		7/29	1	0.10	0.00	0.00	0.00
LAKEVIEW D (PRIVATE)	0.30	1/24	1	0.30	1	0.66	0.92	2	2.40	0.00	3.32		7/17	1	0.30	0.00	0.00	0.00
LANGSTROTH DR	0.36			0.00			0.00		0.00		0.00				0.00			0.00
LANTERN DR	0.13			0.00			0.00		0.00		0.00		7/30	1	0.13	0.00	0.00	0.00
LAUREL HILL RD (PRIV)	0.25			0.00			0.00		0.00		0.00				0.00			0.00
LAUREL LN	0.32			0.00			0.00		0.00		0.00		8/6	1	0.32	1.00	8.00	3.50
LEDGES RD	0.99			0.00			0.00		0.00		0.00		5/24	1	0.99	1.00	8.00	3.50
LEE RD	0.35			0.00			0.00		0.00		0.00		7/30	1	0.35	1.00	8.00	3.50

LIGIS WAY	0.34			0.00			0.00		0.00		0.00		3/26	1	0.34	0.50	4.00	1.75
LEWIS DR	0.37			0.00			0.00		0.00		0.00				0.00			0.00
LIMEKILN RD	0.98			0.00			0.00		0.00		0.00		8/5	1	0.98	1.00	8.00	3.50
LIMESTONE RD	2.40			0.00			0.00		0.00		0.00		7/17	1	2.40	0.00	0.00	0.00
LIMESTONE TER (PRIV)	0.17			0.00			0.00		0.00		0.00				0.00			0.00
LINCOLN LN	0.46			0.00			0.00		0.00		0.00				0.00			0.00
LINDEN RD (PRIVATE)	0.25			0.00			0.00		0.00		0.00				0.00			0.00
LISA LN	0.12			0.00			0.00		0.00		0.00				0.00			0.00
LITTLE RIDGE RD	0.07			0.00			0.00		0.00		0.00				0.00			0.00
LONGVIEW DR	0.34			0.00			0.00		0.00		0.00		8/5	1	0.34	1.00	8.00	3.50
LOOKOUT DR (PRIVATE)	0.01	1/24	1	0.01	6	6.60	5.52		0.00		5.52		7/17	1	0.01	1.00	8.00	3.50
LOOKOUT POINT RD	0.10			0.00			0.00		0.00		0.00		5/21	1	0.10	0.50	4.00	1.75
LOOKOUT RD (PRIVATE)	0.14			0.00			0.00		0.00		0.00		7/17	1	0.14	0.00	0.00	0.00
LOREN LN (PRIVATE)	0.09	4/1	1	0.09	2	1	1.84		0.00		1.84				0.00			0.00
LOST MINE PL	0.16			0.00			0.00		0.00		0.00				0.00			0.00
LOUNDSBERRY LA	0.33			0.00			0.00		0.00		0.00				0.00			0.00
LOUNSBURY RD	0.90			0.00			0.00		0.00		0.00		8/9	1	0.90	1.50	12.00	5.25
LYNCH BROOK LN	0.25			0.00			0.00		0.00		0.00				0.00			0.00
LYNN PL	0.13			0.00			0.00		0.00		0.00				0.00			0.00
MADELINE (PRIVATE)	0.90			0.00			0.00		0.00		0.00		7/15	1	0.90	0.00	0.00	0.00
MAIN ST (STATE)				0.00			0.00		0.00		0.00				0.00			0.00
MALLORY HILL RD	0.30			0.00			0.00		0.00		0.00				0.00			0.00
MAMANASCO RD	1.43	3/4	1	1.43			0.00	43	51.60		51.60		4/9	1	1.43	5.00	40.00	17.50
MANOR RD	0.43			0.00			0.00		0.00		0.00		4/3	1	0.43	1.00	8.00	3.50
MAPLE SHADE RD	0.24			0.00			0.00		0.00		0.00				0.00			0.00
MAPLEWOOD RD	0.22			0.00			0.00		0.00		0.00		7/13	1	0.22	0.00	0.00	0.00
MARCARDON AVE	0.22			0.00			0.00		0.00		0.00		8/19	1	0.22	0.35	3.00	1.23
MARIE LN (PRIVATE)	0.11			0.00			0.00		0.00		0.00		7/13	1	0.11	0.00	0.00	0.00
MARKET ST	0.25			0.00			0.00		0.00		0.00		3/25	1	0.25	0.50	4.00	1.75
MARSHALL RD	0.36			0.00			0.00		0.00		0.00		4/24	1	0.36	1.00	8.00	3.50
MARYS LN (PRIVATE)	0.06			0.00			0.00		0.00		0.00				0.00			0.00
MCKEON PL	0.16			0.00			0.00		0.00		0.00				0.00			0.00
MEAD RIDGE	0.45			0.00			0.00		0.00		0.00		4/10	1	0.45	0.75	6.00	2.63
MEDIA LN (PRIVATE)				0.00			0.00		0.00		0.00				0.00			0.00
MEMORY LN (PRIVATE)				0.00			0.00		0.00		0.00				0.00			0.00
MIDDLE BROOK LN	0.17			0.00			0.00		0.00		0.00				0.00			0.00
MIDROCKS RD	0.24			0.00			0.00		0.00		0.00		7/15	1	0.24	0.00	0.00	0.00
MILL VIEW TER	0.10			0.00			0.00		0.00		0.00				0.00			0.00
MILLERS LN	0.20			0.00			0.00		0.00		0.00				0.00			0.00
MILLSTONE CT	0.11			0.00			0.00		0.00		0.00				0.00			0.00
MIMOSA CIR	0.84			0.00			0.00		0.00		0.00				0.00			0.00
MIMOSA CT	0.28			0.00			0.00		0.00		0.00				0.00			0.00
MIMOSA LN	0.39			0.00			0.00		0.00		0.00				0.00			0.00
MIMOSA PL	0.12			0.00			0.00		0.00		0.00				0.00			0.00
MINUTEMAN RD	1.06			0.00			0.00		0.00		0.00		4/23	1	1.06	1.50	8.40	5.25
MOPUS BRIDGE RD	0.85	1/16	1	0.85	3	2	2.76		0.00		2.76		7/10	1	0.85	1.00	8.00	3.50
MORGANTI CT	0.11			0.00			0.00		0.00		0.00		8/20	1	0.11	0.35	3.00	1.23
MOUNTAIN RD (PRIV)	1.00	4/5	1	1.00			0.00	3	3.60		3.60				0.00			0.00
MOUNTAIN VIEW AVE	0.12			0.00			0.00		0.00		0.00		3/26	1	0.12	0.50	4.00	1.75
MULBERRY ST	0.24			0.00			0.00		0.00		0.00		5/15	1	0.24	0.50	4.00	1.75
MULVANEY CT				0.00			0.00		0.00		0.00				0.00			0.00
NEDS LN	0.15			0.00			0.00		0.00		0.00				0.00			0.00
NEDS MOUNTAIN RD	1.48			0.00			0.00		0.00		0.00				0.00			0.00

NEW RD	0.79			0.00			0.00		0.00	0.00	0.00			0.00			0.00	
NEW ST	0.53			0.00			0.00		0.00	0.00	0.00		3/26	1	0.53	2.00	16.00	7.00
NINTH LN (PRIVATE)	0.06			0.00			0.00		0.00	0.00	0.00				0.00			0.00
NOD HILL RD	0.63	2/12	1	0.63	12	8.00	11.04		0.00	0.00	11.04				0.00			0.00
NOD RD	1.39	3/15	1	1.39	43	28	39.56		0.00	0.00	39.56				0.00			0.00
NOD WEST DR	0.10	3/20	1	0.10	2	1	1.84		0.00	0.00	1.84				0.00			0.00
NORRANS RIDGE DR	0.71			0.00			0.00		0.00	0.00	0.00		8/9	1	0.71	1.00	8.00	3.50
NORTH SHORE DR (PRIV)	0.20			0.00			0.00		0.00	0.00	0.00				0.00			0.00
NORTH ST	2.30			0.00			0.00		0.00	0.00	0.00		5/21	1	2.30	2.00	16.00	7.00
NORTH VALLEY RD	0.22			0.00			0.00		0.00	0.00	0.00				0.00			0.00
NURSERY RD	0.92			0.00			0.00		0.00	0.00	0.00		8/5	1	0.92	0.50	4.00	1.75
NUTMEG CT	0.13			0.00			0.00		0.00	0.00	0.00				0.00			0.00
NUTMEG RIDGE	0.43			0.00			0.00		0.00	0.00	0.00				0.00			0.00
OAK KNOLL	0.24			0.00			0.00		0.00	0.00	0.00		4/10	1	0.24	0.50	4.00	1.75
OAK TREE LN (PRIVATE)	0.13			0.00			0.00		0.00	0.00	0.00				0.00			0.00
OLD BARLOW MTN RD	0.29			0.00			0.00		0.00	0.00	0.00		5/21	1	0.29	1.50	12.00	5.25
OLD BRANCHVILLE RD	1.57			0.00			0.00		0.00	0.00	0.00				0.00			0.00
OLD DANBURY RD	0.15			0.00			0.00		0.00	0.00	0.00		8/6	1	0.15	0.50	4.00	1.75
OLD MAIN HWY	0.35			0.00			0.00		0.00	0.00	0.00				0.00			0.00
OLD MILL RD	0.50			0.00			0.00		0.00	0.00	0.00				0.00			0.00
OLD MUSKET LN	0.11	9/1		0.00			0.00	1	1.60	1.60					0.00			0.00
OLD OSCELETA RD	0.12			0.00			0.00		0.00	0.00	0.00		4/23	1	0.12	1.00	8.00	3.50
OLD PIERCE RD	0.16			0.00			0.00		0.00	0.00	0.00		8/6	1	0.16	0.35	3.00	1.23
OLD QUARRY RD	0.23			0.00			0.00		0.00	0.00	0.00		3/26	1	0.23	2.00	16.00	7.00
OLD REDDING RD	0.11			0.00			0.00		0.00	0.00	0.00		7/9	1	0.11	2.00	16.00	7.00
OLD RIDGEBURY RD				0.00			0.00		0.00	0.00	0.00				0.00			0.00
OLD SIB RD	2.06			0.00			0.00		0.00	0.00	0.00				0.00			0.00
OLD SOUTH SALEM RD	0.44			0.00			0.00		0.00	0.00	0.00		4/10	1	0.44	3.00	24.00	10.50
OLD STAGECOACH RD	1.43			0.00			0.00		0.00	0.00	0.00		5/23	1	1.43	3.00	24.00	10.50
OLD STILL RD	0.19			0.00			0.00		0.00	0.00	0.00		8/5	1	0.19	1.00	8.00	3.50
OLD STONE CT	0.11			0.00			0.00		0.00	0.00	0.00		8/6	1	0.11	0.00	0.00	0.00
OLD TOWN RD	0.12			0.00			0.00		0.00	0.00	0.00				0.00			0.00
OLD TROLLEY RD	0.82			0.00			0.00		0.00	0.00	0.00		7/8	1	0.82	1.50	12.00	5.25
OLD WAGON RD	0.28			0.00			0.00		0.00	0.00	0.00				0.00			0.00
OLD WASHINGTON RD	0.48			0.00			0.00		0.00	0.00	0.00				0.00			0.00
OLD WEST MTN RD	1.01			0.00			0.00		0.00	0.00	0.00				0.00			0.00
OLMSTEAD LN	0.51			0.00			0.00		0.00	0.00	0.00		5/20	1	0.51	0.35	3.00	1.23
ONEILL CT	0.14			0.00			0.00		0.00	0.00	0.00				0.00			0.00
ORCHARD LN (PRIVATE)				0.00			0.00		0.00	0.00	0.00				0.00			0.00
ORENECA RD	1.04			0.00			0.00		0.00	0.00	0.00		4/23	1	1.04	2.00	16.00	7.00
OSCELETA RD	1.53	4/8	1	1.53	6	4	5.52		0.00	0.00	5.52		4/23	1	1.53	4.00	32.00	14.00
OVERLOOK DR	0.43			0.00			0.00		0.00	0.00	0.00				0.00			0.00
PALMER CT	0.05			0.00			0.00		0.00	0.00	0.00				0.00			0.00
PARK LN	0.15			0.00			0.00		0.00	0.00	0.00				0.00			0.00
PARLEY LN	0.06			0.00			0.00		0.00	0.00	0.00		7/10	1	0.06	0.50	4.00	1.75
PARLEY RD	0.26			0.00			0.00		0.00	0.00	0.00				0.00			0.00
PARTRIDGE DR	0.21			0.00			0.00		0.00	0.00	0.00		5/22	1	0.21	1.00	8.00	3.50
PEACEABLE HILL RD	1.29	1/28	1	1.29	5	3	4.60		0.00	0.00	4.60		4/24	1	1.29	2.00	16.00	7.00
PEACEABLE RIDGE	1.04	1/31	1	1.04	1	1	0.92		0.00	0.00	0.92		4/12	1	1.04	2.00	16.00	7.00
PEACEABLE ST	1.58			0.00			0.00		0.00	0.00	0.00		4/24	1	1.58	3.00	24.00	10.50
PEACEABLE ST G.T.				0.00			0.00		0.00	0.00	0.00				0.00			0.00
PELHAM LN	0.24			0.00			0.00		0.00	0.00	0.00				0.00			0.00
PERRY LN	0.38	1/9	1	0.38	10	7	9.20		0.00	0.00	9.20		8/19	1	0.38	1.00	8.00	3.50

PHEASANT DR	0.30			0.00			0.00		0.00	0.00	0.00			0.00			0.00
PIERREPONT DR	0.33			0.00			0.00		0.00	0.00	0.00			0.00			0.00
PILGRIM HILL RD	0.08			0.00			0.00		0.00	0.00	0.00	8/6	1	0.08	0.35	3.00	1.23
PIN PACK RD	0.62			0.00			0.00		0.00	0.00	0.00	5/15	1	0.62	3.00	24.00	10.50
PINE LAKE RD	0.13			0.00			0.00		0.00	0.00	0.00	4/25	1	0.13	2.00	16.00	7.00
PINE MOUNTAIN RD	0.66			0.00			0.00		0.00	0.00	0.00			0.00			0.00
PINECREST DR	0.19			0.00			0.00		0.00	0.00	0.00			0.00			0.00
PLAYGROUND RD	0.19			0.00			0.00		0.00	0.00	0.00			0.00			0.00
POCCONOCK TR	0.12			0.00			0.00		0.00	0.00	0.00	5/18	1	0.12	1.00	8.00	3.50
POND RD	0.19			0.00			0.00		0.00	0.00	0.00	5/24	1	0.19	1.50	12.00	5.25
POPLAR RD	0.54			0.00			0.00		0.00	0.00	0.00	7/30	1	0.54	2.00	16.00	7.00
PORTLAND AVE	0.10			0.00			0.00		0.00	0.00	0.00			0.00			0.00
POUND ST	0.17	2/11	1	0.17	7	4.62	6.44		0.00	0.00	6.44	3/26	1	0.17	0.50	4.00	1.75
G	0.35			0.00			0.00		0.00	0.00	0.00			0.00			0.00
POWDER HORN	0.32			0.00			0.00		0.00	0.00	0.00	8/9	1	0.32	1.00	8.00	3.50
POWDERMAKER DR	0.32			0.00			0.00		0.00	0.00	0.00	7/10	1	0.32	0.04	3.00	0.12
PROSPECT RIDGE	0.57			0.00			0.00		0.00	0.00	0.00	3/25	1	0.57	3.00	24.00	10.50
PROSPECT ST	0.51			0.00			0.00		0.00	0.00	0.00	3/25	1	0.51	1.00	8.00	3.50
PUMP LN (PRIVATE)	0.10			0.00			0.00		0.00	0.00	0.00	8/29	1	0.10	0.35	3.00	1.23
PUMPING STATION RD	0.45	4/8	1	0.45	2	1	1.84		0.00	0.00	1.84	4/25	1	0.45	4.00	32.00	14.00
QUAIL DR	0.09			0.00			0.00		0.00	0.00	0.00			0.00			0.00
RAINBOW DR (PRIVATE)	0.11			0.00			0.00		0.00	0.00	0.00			0.00			0.00
RAMAPOO HILL RD	0.12			0.00			0.00		0.00	0.00	0.00			0.00			0.00
RAMAPOO RD	1.09			0.00			0.00		0.00	0.00	0.00			0.00			0.00
RED OAK LN	0.17			0.00			0.00		0.00	0.00	0.00	4/23	1	0.00	0.75	6.00	2.63
REGAN RD	0.68			0.00			0.00		0.00	0.00	0.00	5/23	1	0.68	0.50	4.00	1.75
REMINGTON RD	0.82			0.00			0.00		0.00	0.00	0.00	4/10	1	0.82	1.00	8.00	3.50
REVERE DR	0.41	2/3	1	0.41	11	8.00	10.12		0.00	0.00	10.12			0.00			0.00
REVERE PL	0.21			0.00			0.00		0.00	0.00	0.00	8/9	1	0.21	0.35	3.00	1.23
RICHARDSON DR	0.23			0.00			0.00		0.00	0.00	0.00			0.00			0.00
RIDGEBURY RD	3.88			0.00			0.00		0.00	0.00	0.00	7/12	1	3.88	4.00	32.00	14.00
Danbury line to G.W. Hwy				0.00			0.00		0.00	0.00	0.00			0.00			0.00
RIDGECREST DR	0.35			0.00			0.00		0.00	0.00	0.00	5/20	1	0.35	0.50	4.00	1.75
RIDGEWAY TER (PRIV)	0.06			0.00			0.00		0.00	0.00	0.00			0.00			0.00
RIDGEWOOD RD	0.48			0.00			0.00		0.00	0.00	0.00	8/14	1	0.48	0.50	4.00	1.75
RIPPOWAM RD	0.91			0.00			0.00		0.00	0.00	0.00	4/23	1	0.91	2.00	16.00	7.00
RISING RIDGE RD	0.69			0.00			0.00		0.00	0.00	0.00			0.00			0.00
RITA RD (PRIVATE)	0.25			0.00			0.00		0.00	0.00	0.00			0.00			0.00
RITCH DR	0.41			0.00			0.00		0.00	0.00	0.00	8/6	1	0.41	1.50	8.40	5.25
RIVERSIDE DR	0.57			0.00			0.00		0.00	0.00	0.00			0.00			0.00
ROBERTS LN	0.14			0.00			0.00		0.00	0.00	0.00	3/26	1	0.14	1.00	8.00	3.50
ROCHAMBEAU AVE	0.12			0.00			0.00		0.00	0.00	0.00	5/21	1	0.12	0.50	4.00	1.75
ROCK RD	0.48	4/1	1	0.48	7	4.62	6.44		0.00	0.00	6.44	4/25	1	0.48	0.50	4.00	1.75
OFF MAMANASCO				0.00			0.00		0.00	0.00	0.00			0.00			0.00
ROCK SPRING LN	0.11			0.00			0.00		0.00	0.00	0.00	8/5	1	0.11	0.35	3.00	1.23
ROCKCREST DR	0.15			0.00			0.00		0.00	0.00	0.00			0.00			0.00
ROCKWELL RD	0.50			0.00			0.00		0.00	0.00	0.00	8/19	1	0.50	1.00	8.00	3.50
ROLLING HILL RD	0.23			0.00			0.00		0.00	0.00	0.00	8/5	1	0.23	0.00	0.00	0.00
ROLLING RIDGE RD	0.23			0.00			0.00		0.00	0.00	0.00	5/22	1	0.23	0.00	0.00	0.00
ROUND LAKE RD	0.59			0.00			0.00		0.00	0.00	0.00	4/30	1	0.59	0.50	4.00	1.75
ROWLAND LN	0.12			0.00			0.00		0.00	0.00	0.00	3/25	1	0.12	0.50	4.00	1.75
RUSTIC DR (PRIVATE)	0.10			0.00			0.00		0.00	0.00	0.00	7/15	1	0.10	0.00	0.00	0.00
RUSTIC RD (PRIVATE)	0.17			0.00			0.00		0.00	0.00	0.00	7/17	1	0.17	1.00	8.00	3.50

SADDLE RIDGE RD ()				0.00				0.00		0.00					0.00			0.00
SALEM VIEW DR	0.11			0.00				0.00		0.00			7/10	1	0.11	0.35	3.00	1.23
SANFORD STATION RD	0.05			0.00				0.00		0.00					0.00			0.00
SARAH BISHOP RD	0.35			0.00				0.00		0.00			7/10	1	0.35	0.50	4.00	1.75
SAUNDERS LN	0.40	2/7	1	0.40	10		9.20	0.00		0.00	9.20		8/9	1	0.40	0.50	4.00	1.75
SAW MILL RD	0.39			0.00				0.00		0.00	0.00		7/9	1	0.39	2.00	16.00	7.00
P	0.36			0.00				0.00		0.00	0.00				0.00			0.00
SCHOOLHOUSE PL	0.13			0.00				0.00		0.00	0.00		7/9	1	0.13	50.00	4.00	175.00
SCODON DR	0.50			0.00				0.00		0.00	0.00				0.00			0.00
SCOTT RIDGE RD	0.51			0.00				0.00		0.00	0.00		4/24	1	0.51	0.75	6.00	2.63
SECOND LN (PRIVATE)	0.09			0.00				0.00		0.00	0.00				0.00			0.00
SENOKA DR	0.11			0.00				0.00		0.00	0.00		5/22	1	0.11	0.50	4.00	1.75
SERFILIPPI DR	0.12			0.00				0.00		0.00	0.00				0.00			0.00
SETH LOW MTN RD	0.77			0.00				0.00		0.00	0.00		5/23	1	0.77	1.00	8.00	3.50
SETTLERS LN	0.18			0.00				0.00		0.00	0.00				0.00			0.00
SEVENTH LN (PRIVATE)	0.09			0.00				0.00		0.00	0.00				0.00			0.00
SEYMOUR LN	0.14			0.00				0.00		0.00	0.00				0.00			0.00
SHADBLOW HILL RD	0.14			0.00				0.00		0.00	0.00		8/14	1	0.14	0.50	4.00	1.75
SHADOW LAKE RD	1.20			0.00				0.00		0.00	0.00		7/8	1	1.20	2.00	16.00	7.00
SHADOW LN	0.26			0.00				0.00		0.00	0.00		4/3	1	0.26	1.00	8.00	3.50
SHADY LN (PRIVATE)	0.07	1/28	1	0.07	3	2	2.76	0.00		0.00	2.76		7/29	1	0.07	1.00	8.00	3.50
SHARP HILL RD	0.13			0.00				0.00		0.00	0.00		4/22	1	0.13	0.35	3.00	1.23
SHERWOOD RD	0.44			0.00				0.00		0.00	0.00		5/24	1	0.44	0.50	4.00	1.75
SHIELDS LN	0.21	2/11	1	0.21	4	3	3.68	0.00		0.00	3.68				0.00			0.00
SHORT LN	0.12			0.00				0.00		0.00	0.00		5/22	1	0.12	0.50	4.00	1.75
SILVER BIRCH LN (PRIV)	0.06			0.00				0.00		0.00	0.00				0.00			0.00
SILVER BROOK RD	0.16			0.00				0.00		0.00	0.00				0.00			0.00
SILVER HILL RD	0.52			0.00				0.00		0.00	0.00		8/28	1	0.52	1.00	8.00	3.50
SILVER SPRING LN	0.75			0.00				0.00		0.00	0.00				0.00			0.00
SILVER SPRING PK	0.22			0.00				0.00		0.00	0.00		8/27	1	0.22	0.50	4.00	1.75
SILVER SPRING RD	2.17			0.00				0.00		0.00	0.00		8/27	1	2.17	2.50	20.00	8.75
SIXTH LN (PRIVATE)	0.09			0.00				0.00		0.00	0.00				0.00			0.00
SKY TOP RD	0.27			0.00				0.00		0.00	0.00				0.00			0.00
SLEEPY HOLLOW RD	0.71	2/11	1	0.71	3	2	2.76	0.00		0.00	2.76		4/30	1	0.71	0.50	4.00	1.75
SOPHIA DR	0.22			0.00				0.00		0.00	0.00				0.00			0.00
SOUNDVIEW RD	0.53			0.00				0.00		0.00	0.00		8/19	1	0.53	0.35	3.00	1.23
SOUTH OLMSTEAD LN	0.43			0.00				0.00		0.00	0.00		5/20	1	0.43	0.35	3.00	1.23
SOUTH SHORE DR	0.20			0.00				0.00		0.00	0.00				0.00			0.00
SOUTH ST	0.31			0.00				0.00		0.00	0.00		3/26	1	0.31	0.50	4.00	1.75
SOUTHRIDGE CT	0.25			0.00				0.00		0.00	0.00		8/27	1	0.25	0.50	4.00	1.75
SPECTACLE RD	0.51			0.00				0.00		0.00	0.00		8/20	1	0.51	0.50	4.00	1.75
SPIRE VIEW RD	0.37			0.00				0.00		0.00	0.00				0.00			0.00
SPLIT LEVEL LN	0.31			0.00				0.00		0.00	0.00				0.00			0.00
SPRING VALLEY RD	1.44	1/16	1	1.44	58	38	53.36	0.00		0.00	53.36		7/10	1	1.44	4.00	32.00	14.00
SPRUCEWOOD LN	0.15			0.00				0.00		0.00	0.00				0.00			0.00
SAINT JOHNS RD	1.04	2/10	1	1.04	14	9	12.88	0.00		0.00	12.88		8/28	1	1.04	2.00	16.00	7.00
STANDISH DR	0.61			0.00				0.00		0.00	0.00		8/9	1	0.61	0.50	4.00	1.75
STILL RD	0.24			0.00				0.00		0.00	0.00		8/5	1	0.24	0.50	4.00	1.75
STILL HOLLOW PL	0.03			0.00				0.00		0.00	0.00				0.00			0.00
STONECREST RD	0.60			0.00				0.00		0.00	0.00		5/20	1	0.60	0.50	4.00	1.75
STONEHENGE RD	0.37			0.00				0.00		0.00	0.00		8/5	1	0.37	1.00	8.00	3.50
STONEWALL LN	0.17			0.00				0.00		0.00	0.00				0.00			0.00
STONY HILL RD	0.61	2/5	1	0.61	14	9	12.88	0.00		0.00	12.88		8/15	1	0.61	1.00	8.00	3.50

STONY HILL TER	0.08	2/5	1	0.08	2	1	1.84	0.00	0.00	1.84			0.00			0.00
STRAWBERRY RIDGE	0.16			0.00			0.00	0.00	0.00	0.00			0.00			0.00
SUGAR LOAF MTN RD	0.47			0.00			0.00	0.00	0.00	0.00	5/23	1	0.47	0.50	4.00	1.75
SUGAR LOAF MTN RD	0.17			0.00			0.00	0.00	0.00	0.00			0.00			0.00
SUNSET DR (PRIVATE)	0.07			0.00			0.00	0.00	0.00	0.00			0.00			0.00
SUNSET LN	0.22			0.00			0.00	0.00	0.00	0.00	3/26	1	0.22	2.00	16.00	7.00
SYCAMORE LN	0.15			0.00			0.00	0.00	0.00	0.00	8/29	1	0.15	0.35	3.00	1.23
SYLVAN DR (PRIVATE)	0.10			0.00			0.00	0.00	0.00	0.00			0.00			0.00
TACKORA TR	1.10			0.00			0.00	0.00	0.00	0.00			0.00			0.00
TALLY-HO RD	0.37			0.00			0.00	0.00	0.00	0.00	8/6	1	0.37	0.35	3.00	1.23
TANGLEWOOD CT	0.16			0.00			0.00	0.00	0.00	0.00	8/19	1	0.16	0.35	3.00	1.23
TANNERY HILL RD	0.17			0.00			0.00	0.00	0.00	0.00			0.00			0.00
TANTON HILL RD	0.85			0.00			0.00	0.00	0.00	0.00			0.00			0.00
TAPORNECK CT	0.12			0.00			0.00	0.00	0.00	0.00			0.00			0.00
TAYLOR CT	0.03			0.00			0.00	0.00	0.00	0.00			0.00			0.00
TEA HOUSE LA	0.12			0.00			0.00	0.00	0.00	0.00	5/24	1	0.12	0.50	4.00	1.75
TENTH LN (PRIVATE)	0.09	3/29	1	0.09	1	1	0.92	0.00	0.00	0.92			0.00			0.00
THIRD LN (PRIVATE)	0.09			0.00			0.00	0.00	0.00	0.00			0.00			0.00
THUNDER HILL LN	0.22			0.00			0.00	0.00	0.00	0.00	4/24	1	0.22	2.00	16.00	7.00
TITICUS CT	0.09			0.00			0.00	0.00	0.00	0.00			0.00			0.00
TITUS PL	0.05			0.00			0.00	0.00	0.00	0.00			0.00			0.00
TODDS RD	0.25			0.00			0.00	0.00	0.00	0.00	5/23	1	0.25	0.35	3.00	1.23
TOPCREST LN	0.17			0.00			0.00	0.00	0.00	0.00	5/22	1	0.17	0.35	3.00	1.23
TOPSTONE RD	0.38			0.00			0.00	0.00	0.00	0.00	8/9	1	0.38	0.50	4.00	1.75
TOWER LN	0.14			0.00			0.00	0.00	0.00	0.00			0.00			0.00
TRAILS END LN	0.10			0.00			0.00	0.00	0.00	0.00			0.00			0.00
TURNER RD	0.41			0.00			0.00	0.00	0.00	0.00	7/9	1	0.41	1.00	8.00	3.50
TURTLE RIDGE CT	0.12			0.00			0.00	0.00	0.00	0.00	7/10	1	0.12	0.35	3.00	1.23
TWELFTH LN	0.07	9/1		0.00			0.00	2	2.40	2.40			0.00			0.00
TWIN RIDGE RD	0.25			0.00			0.00	0.00	0.00	0.00			0.00			0.00
TWIXT HILL RD	0.24			0.00			0.00	0.00	0.00	0.00	5/23	1	0.24	1.00	8.00	3.50
TWOPENCE RD	0.23			0.00			0.00	0.00	0.00	0.00	7/10	1	0.23	0.35	3.00	1.23
VICTOR DR	0.08			0.00			0.00	0.00	0.00	0.00			0.00			0.00
VIRGINIA CT	0.16			0.00			0.00	0.00	0.00	0.00	5/22	1	1.00	0.50	4.00	1.75
WALNUT GROVE RD	0.69			0.00			0.00	0.00	0.00	0.00	8/9	1	0.69	1.00	8.00	3.50
WALNUT HILL RD	0.39	1/29	1	0.39	3	2	2.76	0.00	0.00	2.76	4/30	1	0.39	1.00	8.00	3.50
WASHINGTON ST	0.08			0.00			0.00	0.00	0.00	0.00			0.00			0.00
WATERS EDGE (PRIV)	0.32			0.00			0.00	0.00	0.00	0.00			0.00			0.00
WEBSTER RD	0.31			0.00			0.00	0.00	0.00	0.00	4/11	1	0.31	0.50	4.00	1.75
WEIR FARM LN	0.10			0.00			0.00	0.00	0.00	0.00			0.00			0.00
WEST BRANCHVILLE RD	0.35			0.00			0.00	0.00	0.00	0.00	8/15	1	0.35	0.50	4.00	1.75
WESTMORELAND RD	0.13			0.00			0.00	0.00	0.00	0.00	4/11	1	0.13	0.35	3.00	1.23
WHEELER RD	0.29			0.00			0.00	0.00	0.00	0.00	7/10	1	0.29	0.50	4.00	1.75
WHIPSTICK RD	0.57			0.00			0.00	0.00	0.00	0.00			0.00			0.00
WHITE BIRCH RD	0.10			0.00			0.00	0.00	0.00	0.00	8/29	1	0.10	0.50	4.00	1.75
WHITE BIRCHES RD	0.38			0.00			0.00	0.00	0.00	0.00			0.00			0.00
WHITEWOOD HOLLOW	0.07			0.00			0.00	0.00	0.00	0.00	8/15	1	0.07	0.35	3.00	1.23
WHITLOCK LN	0.11			0.00			0.00	0.00	0.00	0.00			0.00			0.00
WILD TURKEY CT	0.19			0.00			0.00	0.00	0.00	0.00			0.00			0.00
WILLOW CT	0.16			0.00			0.00	0.00	0.00	0.00	7/30	1	0.16	0.00	0.00	0.00
WILRIDGE RD	0.31			0.00			0.00	0.00	0.00	0.00			0.00			0.00
WILTON RD EAST	1.67			0.00			0.00	0.00	0.00	0.00	5/20	1	1.67	2.00	16.00	7.00
WINDY RIDGE (PRIVATE)				0.00			0.00	0.00	0.00	0.00			0.00			0.00

ROAD NAMES	MILES	2020		MILES	CB	CB	SUB	CB	SUB	CB	SUB	TOTAL		2020		MILES	# SWEEPER	Sweeper	TOTAL
		DATE		DONE	NUMBER	MATERIAL	TOT.	NUMBER	TOT.	NUMBER	TOT.	CUBIC		DATE		DONE	DUMPS	Material	CUBIC
					CLEANED	EXTRACTED		CLEANED		CLEANED		YARDS		SWEPT		TOWN	TOWN	Extracted	YARDS
					36INX.92			48INX1.2		60INX1.6								(SWE X 3.5)	
AARONS CT	0.18			0.00			0.00		0.00		0.00	0.00		5/18	1	0.18	0.35	3.00	1.23
ABBOTT AVE	0.19			0.00			0.00		0.00		0.00	0.00		5/5	1	0.19	0.25	2.00	0.88
ACORN PL	0.24			0.00			0.00		0.00		0.00	0.00				0.00			0.00
ACRE LN	0.42			0.00			0.00		0.00		0.00	0.00				0.00			0.00
ADAMS RD	0.26			0.00			0.00		0.00		0.00	0.00		6/18	1	0.26	0.35	3.00	1.23
ARMAND PL	0.11			0.00			0.00		0.00		0.00	0.00				0.00			0.00
ARMAND RD	0.91			0.00			0.00		0.00		0.00	0.00				0.00			0.00
ARROWHEAD PL	0.11			0.00			0.00		0.00		0.00	0.00				0.00			0.00
ASCOT WAY	0.10			0.00			0.00		0.00		0.00	0.00				0.00			0.00
ASHBEE LN	0.45			0.00			0.00		0.00		0.00	0.00		6/12	1	0.45	0.50	4.00	1.75
ASPEN LEDGES RD	0.47			0.00			0.00		0.00		0.00	0.00		5/29	1	0.47	1.00	8.00	3.50
ASPEN MILL RD	0.22			0.00			0.00		0.00		0.00	0.00		5/15	1	0.22	0.35	3.00	1.23
BAILEY AVE	0.23			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BANKS HILL PL	0.16			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BARLOW MOUNTAIN RD	1.01			0.00			0.00		0.00		0.00	0.00		6/1	1	1.01	2.00	16.00	7.00
BARNUM PL	0.23			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BARRACK HILL RD	2.72			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BATES FARM RD	0.15			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BAYBERRY HILL RD	0.71			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BEAR MOUNTAIN RD	0.20			0.00			0.00		0.00		0.00	0.00		5/14	1	0.20			0.00
BEAVER BROOK RD	0.86	12/1	1	0.86	23	15.18	21.16		0.00		0.00	21.16				0.00			0.00
BEECHWOOD LN	0.19			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BEERS LN (PRIVATE)				0.00			0.00		0.00		0.00	0.00				0.00			0.00
BELVEDERE CT	0.27			0.00			0.00		0.00		0.00	0.00		6/8	1	0.27	0.35	3.00	1.23
BENNETTS FARM RD	3.36			0.00			0.00		0.00		0.00	0.00		6/4	1	3.36	4.00	32.00	14.00
BENSON RD	0.30			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BERTHIER PL	0.27			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BIRCH CT	0.13			0.00			0.00		0.00		0.00	0.00		5/21	1	0.13	0.75	7.00	2.63
BIRCH LN	0.14			0.00			0.00		0.00		0.00	0.00		6/8	1	0.14	0.35	3.00	1.23
BLACK PINE RD	0.11			0.00			0.00		0.00		0.00	0.00		5/15	1	0.11	1.00	8.00	3.50
BLACKMAN RD	0.66			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BLACKSMITH RIDGE	0.18			0.00			0.00		0.00		0.00	0.00		6/24	1	0.18			0.00
BLOOMER RD	0.42			0.00			0.00		0.00		0.00	0.00		6/25	1	0.42	1.00	8.00	3.50
BLUE RIDGE RD	0.53			0.00			0.00		0.00		0.00	0.00		5/11	1	0.53	0.50	4.00	1.75
BOB HILL RD	0.83			0.00			0.00		0.00		0.00	0.00		5/29	1	0.83	1.00	8.00	3.50
BOBBYS CT	0.50			0.00			0.00		0.00		0.00	0.00		6/9	1	0.50	0.50	4.00	1.75
BOGUS RD	0.41			0.00			0.00		0.00		0.00	0.00		5/22	1	0.41	1.00	8.00	3.50
BOULDER HILL LN	0.19			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BOULDER HILL RD	0.36			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BRIDLE TR	0.44			0.00			0.00		0.00		0.00	0.00		5/20	1	0.44	0.50	4.00	1.75
BROOK LN	0.08			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BROOKSIDE RD	0.17			0.00			0.00		0.00		0.00	0.00		6/4	1	0.17	0.35	3.00	1.23
BRUSCHI LN	0.25			0.00			0.00		0.00		0.00	0.00		6/22	1	0.25	0.50	4.00	1.75
BRYON AVE	0.20			0.00			0.00		0.00		0.00	0.00		5/4	1	0.20			0.00
BUS RD	0.10			0.00			0.00		0.00		0.00	0.00				0.00			0.00
BUCK HILL RD	0.37			0.00			0.00		0.00		0.00	0.00		6/1	1	0.37	1.00	8.00	3.50
BUCKSPEN LN	0.19			0.00			0.00		0.00		0.00	0.00		6/4	1	0.19	0.35	3.00	1.23

CAINS HILL RD	0.49	12/2	1	0.49	26	17.16	23.92		0.00	0.00	23.92			0.00			0.00	
CANTERBURY LN	0.28			0.00			0.00		0.00	0.00	0.00		5/19	1	0.28	1.00	8.00	3.50
CARDINAL CT	0.10			0.00			0.00		0.00	0.00	0.00		6/23	1	0.10	0.35	3.00	1.23
CASA TORCH LN	0.09			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CASEY LN	0.26			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CATTLE PEN LN	0.25			0.00			0.00		0.00	0.00	0.00		6/25	1	0.25	0.25	2.00	0.88
CAUDATOWA DR	0.21			0.00			0.00		0.00	0.00	0.00		5/11	1	0.21	0.50	4.00	1.75
CAVALRY CT	0.10			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CEDAR LN	0.58			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CHARTER OAK CT	0.15			0.00			0.00		0.00	0.00	0.00		6/5	1	0.15	0.50	4.00	1.75
CHERRY LN (PRIV.- DIRT)	0.14			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CHELSEA PL				0.00			0.00		0.00	0.00	0.00				0.00			0.00
CHESTNUT HILL RD	1.15			0.00			0.00		0.00	0.00	0.00		5/21	1	1.15	1.00	8.00	3.50
CHIPMUNK LN	0.15			0.00			0.00		0.00	0.00	0.00		5/18	1	0.15	0.25	2.00	0.88
CHRISTOPHER RD	0.17	3/22	1	0.17	11	7.26	10.12		0.00	0.00	10.12		5/5	1	0.17	0.25	2.00	0.88
CIRCLE DR	0.27			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CIRCLE DR EAST	0.26			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CLAYTON PL	0.18			0.00			0.00		0.00	0.00	0.00		5/26	1	0.18	1.00	8.00	3.50
CLEARVIEW DR	0.05			0.00			0.00		0.00	0.00	0.00		6/3	1	0.05	0.50	4.00	1.75
CLEARVIEW TER	0.06			0.00			0.00		0.00	0.00	0.00				0.00			0.00
COBBLERS LN	0.10			0.00			0.00		0.00	0.00	0.00				0.00			0.00
COLONIAL LN	0.16			0.00			0.00		0.00	0.00	0.00		5/5	1	0.16	0.25	2.00	0.00
COMSTOCK CT	0.14			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CONANT RD	0.19			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CONLEY CT	0.11			0.00			0.00		0.00	0.00	0.00		6/1	1	0.11	0.35	3.00	1.23
CONTINENTAL DR	0.49			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CONTINENTAL DR (EXT.)	0.09			0.00			0.00		0.00	0.00	0.00				0.00			0.00
COOPER HILL RD	0.34			0.00			0.00		0.00	0.00	0.00		6/15	1	0.34	1.50	12.00	5.25
COOPER RD	0.63			0.00			0.00		0.00	0.00	0.00		6/15	1	0.63	3.00	24.00	10.50
COOPER BEACH LA	0.11			0.00			0.00		0.00	0.00	0.00		6/8	1	0.11	0.35	3.00	1.23
COPPS HILL EXT.	0.37			0.00			0.00		0.00	0.00	0.00		5/22	1	0.37	0.50	4.00	1.75
CORNERSTONE CT	0.05			0.00			0.00		0.00	0.00	0.00				0.00			0.00
COTTAGE ST (PRIVATE)	0.06			0.00			0.00		0.00	0.00	0.00				0.00			0.00
COUNTRY CLUB RD	0.28	3/24	1	0.28	3	1.98	2.76		0.00	0.00	2.76				0.00			0.00
CRAIGMOOR RD	0.50			0.00			0.00		0.00	0.00	0.00		5/15	1	0.50	3.00	24.00	10.50
CRANBERRY LN	0.09			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CREAMERY LN	0.19			0.00			0.00		0.00	0.00	0.00				0.00			0.00
CRESCENT DR	0.44			0.00			0.00		0.00	0.00	0.00		6/3	1	0.44	0.50	4.00	1.75
CREST RD	0.30			0.00			0.00		0.00	0.00	0.00		6/3	1	0.30	0.25	2.00	0.88
CROSBY CT	0.15			0.00			0.00		0.00	0.00	0.00		5/18	1	0.15	0.35	3.00	1.23
CROSS HILL RD	0.38			0.00			0.00		0.00	0.00	0.00		6/3	1	0.38	1.50	12.00	5.25
DAVIS LN	0.05			0.00			0.00		0.00	0.00	0.00		6/25	1	0.05	0.35	3.00	1.23
DAWN LN	0.13			0.00			0.00		0.00	0.00	0.00		6/8	1	0.13	0.50	4.00	1.75
DEER HILL DR	0.44			0.00			0.00		0.00	0.00	0.00				0.00			0.00
DEPOT RD	0.06			0.00			0.00		0.00	0.00	0.00				0.00			0.00
DILLMAN CT	0.12			0.00			0.00		0.00	0.00	0.00		5/21	1	0.00	0.35	3.00	1.23
DLHY CT	0.07			0.00			0.00		0.00	0.00	0.00				0.00			0.00
DOGWOOD DR	0.20			0.00			0.00		0.00	0.00	0.00		6/1	1	0.20	0.50	4.00	1.75
DONNELLY DR	0.40			0.00			0.00		0.00	0.00	0.00				0.00			0.00
DOUBLEDAY LN	0.15			0.00			0.00		0.00	0.00	0.00		6/23	1	0.15	0.35	3.00	1.23
DOUGLAS LN	0.30			0.00			0.00		0.00	0.00	0.00		6/4	1	0.30	0.35	3.00	1.23
DOWLING DR	0.24			0.00			0.00		0.00	0.00	0.00		5/22	1	0.24	0.35	3.00	1.23
DOWNESBURY CT	0.24			0.00			0.00		0.00	0.00	0.00		6/17	1	0.24	0.35	3.00	1.23

DRUID LN	0.14			0.00			0.00	0.00	0.00	0.00				0.00			0.00
EAST FARM LN	0.24			0.00			0.00	0.00	0.00	0.00		6/15	1	0.24	0.35	3.00	1.23
EAST RIDGE	0.55			0.00			0.00	0.00	0.00	0.00		4/20	1	0.55			0.00
ELEVEN LEVELS RD	1.05			0.00			0.00	0.00	0.00	0.00				0.00			0.00
ENCAMPMENT PL	0.24			0.00			0.00	0.00	0.00	0.00		5/18	1	0.24	0.35	3.00	1.23
EUSTIS LN	0.23			0.00			0.00	0.00	0.00	0.00		6/22	1	0.23	0.35	3.00	1.23
EVERGREEN PL	0.12			0.00			0.00	0.00	0.00	0.00		5/15	1	0.12	0.25	2.00	0.88
FAIRFIELD CT	0.10			0.00			0.00	0.00	0.00	0.00		5/4	1	0.10			0.00
FAIRVIEW AVE	0.14			0.00			0.00	0.00	0.00	0.00		5/4	1	0.14			0.00
FARM HILL RD	0.22			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FARMINGVILLE RD	1.60			0.00			0.00	0.00	0.00	0.00		6/15	1	1.60	1.50	12.00	5.25
FARRAR LN	0.17			0.00			0.00	0.00	0.00	0.00		5/5	1	0.17	0.50	4.00	1.75
FIELDCREST DR	0.77			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FIFTH LN (PRIVATE)	0.09			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FILLMORE LN	0.10			0.00			0.00	0.00	0.00	0.00		6/10	1	0.10	0.35	3.00	1.23
FINCH DR	0.10			0.00			0.00	0.00	0.00	0.00		5/21	1	0.10	0.35	3.00	1.23
FIRE HILL RD	0.60			0.00			0.00	0.00	0.00	0.00		6/9	1	0.60	2.00	16.00	7.00
FIRST LN (PRIVATE)	0.09	3/22	1	0.09	4	2.64	3.68	0.00	0.00	3.68				0.00			0.00
FISHER LN	0.11			0.00			0.00	0.00	0.00	0.00		5/18	1	0.11	0.35	3.00	1.23
FLAT ROCK DR	0.59			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FLORIDA HILL RD	1.79			0.00			0.00	0.00	0.00	0.00		6/18	1	1.79	4.00	32.00	14.00
FLORIDA RD	1.39			0.00			0.00	0.00	0.00	0.00		6/17	1	1.39	5.00	40.00	17.50
FOREST DR	0.18			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FOURTH LN (PRIVATE)	0.09			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FOX DR	0.13			0.00			0.00	0.00	0.00	0.00				0.00			0.00
FULLING MILL LN	0.51			0.00			0.00	0.00	0.00	0.00		6/12	1	0.51	1.00	8.00	3.50
GAY RD	0.22			0.00			0.00	0.00	0.00	0.00				0.00			0.00
GEO.WASHINGTON HWY	1.20			0.00			0.00	0.00	0.00	0.00		5/15	1	1.20	4.00	32.00	14.00
GILBERT ST	0.25			0.00			0.00	0.00	0.00	0.00		4/23	1	0.25	0.50	4.00	1.75
GINO'S WAY				0.00			0.00	0.00	0.00	0.00		4/23	1	0.00			0.00
GLEN RD	0.20			0.00			0.00	0.00	0.00	0.00		6/1	1	0.20	0.50	4.00	1.75
GLENBROOK CT	0.03			0.00			0.00	0.00	0.00	0.00				0.00			0.00
GOLF CT	0.06			0.00			0.00	0.00	0.00	0.00		5/4	1	0.06			0.00
GOLF LN	0.62			0.00			0.00	0.00	0.00	0.00		5/4	1	0.62			0.00
GOVERNOR ST	0.43			0.00			0.00	0.00	0.00	0.00		4/20	1	0.43			0.00
GRAND VIEW DR	0.58			0.00			0.00	0.00	0.00	0.00				0.00			0.00
GREAT HILL RD	1.38			0.00			0.00	0.00	0.00	0.00		6/4	1	1.38	1.50	12.00	5.25
GREAT POND RD	0.33			0.00			0.00	0.00	0.00	0.00				0.00			0.00
GREAT ROCKS PL	0.11			0.00			0.00	0.00	0.00	0.00				0.00			0.00
GREEN LN	0.18			0.00			0.00	0.00	0.00	0.00				0.00			0.00
GREENFIELD ST	0.12			0.00			0.00	0.00	0.00	0.00		5/4	1	0.12			0.00
GREENRIDGE DR (PRIV)	0.08			0.00			0.00	0.00	0.00	0.00				0.00			0.00
GRIFFIN HILL LN	0.09			0.00			0.00	0.00	0.00	0.00		6/9	1	0.09	1.00	8.00	3.50
GRIFFITH LN	0.12			0.00			0.00	0.00	0.00	0.00		5/5	1	0.12	0.35	3.00	1.23
GROVE ST	0.49			0.00			0.00	0.00	0.00	0.00		4/20	1	0.49			0.00
HALPIN LN	0.18			0.00			0.00	0.00	0.00	0.00				0.00			0.00
HAMILTON RD	0.19			0.00			0.00	0.00	0.00	0.00				0.00			0.00
HARDING DR	0.35			0.00			0.00	0.00	0.00	0.00		5/21	1	0.35	0.50	4.00	1.75
HARRISON CT	0.22			0.00			0.00	0.00	0.00	0.00				0.00			0.00
HARVEY RD	0.41			0.00			0.00	0.00	0.00	0.00		6/18	1	0.41	1.00	8.00	3.50
HAULEY PL	0.12			0.00			0.00	0.00	0.00	0.00				0.00			0.00
HAVILAND RD	1.61			0.00			0.00	0.00	0.00	0.00		6/10	1	1.61	3.00	24.00	10.50
HAWTHORNE HILL RD	0.07			0.00			0.00	0.00	0.00	0.00		6/12	1	0.07	0.50	4.00	1.75

HAYES LN	0.26		0.00		0.00		0.00		0.00				0.00				0.00
HERITAGE LN (PRIVATE)	0.09		0.00		0.00		0.00		0.00				0.00				0.00
HERMIT LN	0.09		0.00		0.00		0.00		0.00		6/15	1	0.09	0.50	4.00		1.75
HESSIAN DR	0.13		0.00		0.00		0.00		0.00				0.00				0.00
HICKORY LN	0.26		0.00		0.00		0.00		0.00		6/17	1	0.26	1.00	8.00		3.50
HIDDEN LAKE CT	0.06		0.00		0.00		0.00		0.00				0.00				0.00
HIGH PASTURES CT	0.24		0.00		0.00		0.00		0.00				0.00				0.00
HIGH RIDGE AVE	0.96		0.00		0.00		0.00		0.00		5/2	1	0.96	3.00	24.00		10.50
HIGH VALLEY RD	0.24		0.00		0.00		0.00		0.00		6/17	1	0.24	0.75	7.00		2.63
HIGHVIEW DR	0.21		0.00		0.00		0.00		0.00		5/28	1	0.21	0.35	3.00		1.23
HIGHVIEW RD (PRIVATE)	0.20		0.00		0.00		0.00		0.00				0.00				0.00
HILLCREST CT	0.12		0.00		0.00		0.00		0.00				0.00				0.00
HILLSDALE AVE	0.08		0.00		0.00		0.00		0.00		4/23	1	0.08				0.00
HOBBY DR	0.43		0.00		0.00		0.00		0.00				0.00				0.00
HOLMES RD	0.98		0.00		0.00		0.00		0.00				0.00				0.00
HOWES CT	0.03		0.00		0.00		0.00		0.00				0.00				0.00
HUCKLEBERRY LN	0.14		0.00		0.00		0.00		0.00				0.00				0.00
HULDA LN	0.16		0.00		0.00		0.00		0.00		6/10	1	0.16	0.35	3.00		1.23
HULL PL	0.20		0.00		0.00		0.00		0.00		6/10	1	0.20	0.35	3.00		1.23
HUNT CT	0.03		0.00		0.00		0.00		0.00				0.00				0.00
HUNTER LN	0.46		0.00		0.00		0.00		0.00		6/10	1	0.46	0.50	4.00		1.75
HUNTER LN WEST	0.10		0.00		0.00		0.00		0.00				0.00				0.00
HUSSARS CAMP PL	0.26		0.00		0.00		0.00		0.00		5/20	1	0.26	0.50	4.00		1.75
INDIAN CAVE RD	0.65		0.00		0.00		0.00		0.00		6/26	1	0.65	0.35	3.00		1.23
ISLAND HILL AVE	0.14		0.00		0.00		0.00		0.00		4/23	1	0.14	1.00	8.00		3.50
IVES CT (PRIVATE)			0.00		0.00		0.00		0.00				0.00				0.00
IVY HILL RD	1.41		0.00		0.00		0.00		0.00		6/18	1	1.41	4.00	32.00		14.00
JACKSON CT	0.07		0.00		0.00		0.00		0.00		5/5	1	0.07	0.25	2.00		0.88
JEFFERSON DR	0.36		0.00		0.00		0.00		0.00				0.00				0.00
JEFFRO DR	0.21		0.00		0.00		0.00		0.00				0.00				0.00
KEELER CT	0.19		0.00		0.00		0.00		0.00				0.00				0.00
KEELER DR	1.59		0.00		0.00		0.00		0.00				0.00				0.00
KEELER PL	0.07		0.00		0.00		0.00		0.00				0.00				0.00
KELLOGG ST	0.22		0.00		0.00		0.00		0.00				0.00				0.00
KENDRA CT	0.06		0.00		0.00		0.00		0.00				0.00				0.00
KETCHAM RD	0.23		0.00		0.00		0.00		0.00				0.00				0.00
KIAHS BROOK LN	0.12		0.00		0.00		0.00		0.00		5/15	1	0.12	0.50	4.00		1.75
KILN HILL LN	0.12		0.00		0.00		0.00		0.00				0.00				0.00
KIMBERLY CT	0.11		0.00		0.00		0.00		0.00				0.00				0.00
KING LN	0.23		0.00		0.00		0.00		0.00		5/5	1	0.23	0.35	3.00		1.23
KINGSWOOD PL	0.23		0.00		0.00		0.00		0.00				0.00				0.00
KNOLLWOOD DR	0.76		0.00		0.00		0.00		0.00				0.00				0.00
LAFAYETTE AVE	0.12		0.00		0.00		0.00		0.00		5/22	1	0.12	0.35	3.00		1.23
LAKE RD	0.09		0.00		0.00		0.00		0.00		6/3	1	0.09	0.50	4.00		1.75
LAKESIDE DR (PRIVATE)	0.24		0.00		0.00		0.00		0.00				0.00				0.00
LAKESIDE D EXT (PRIV)	0.10		0.00		0.00		0.00		0.00				0.00				0.00
LAKEVIEW D (PRIVATE)	0.30		0.00		0.00		0.00		0.00		6/3	1	0.30	2.00	16.00		7.00
LANGSTROTH DR	0.36		0.00		0.00		0.00		0.00		5/14	1	0.36				0.00
LANTERN DR	0.13		0.00		0.00		0.00		0.00		6/8	1	0.13	0.35	3.00		1.23
LAUREL HILL RD (PRIV)	0.25		0.00		0.00		0.00		0.00				0.00				0.00
LAUREL LN	0.32		0.00		0.00		0.00		0.00		6/1	1	0.32	0.50	4.00		1.75
LEDGES RD	0.99		0.00		0.00		0.00		0.00		5/15	1	0.99	0.50	4.00		1.75
LEE RD	0.35		0.00		0.00		0.00		0.00		6/8	1	0.35	0.35	3.00		1.23

LIGIS WAY	0.34			0.00			0.00	0.00	0.00	0.00		4/20	1	0.34			0.00
LEWIS DR	0.37			0.00			0.00	0.00	0.00	0.00		5/4	1	0.37			0.00
LIMEKILN RD	0.98			0.00			0.00	0.00	0.00	0.00		6/9	1	0.98	4.00	32.00	14.00
LIMESTONE RD	2.40			0.00			0.00	0.00	0.00	0.00				0.00			0.00
LIMESTONE TER (PRIV)	0.17			0.00			0.00	0.00	0.00	0.00				0.00			0.00
LINCOLN LN	0.46			0.00			0.00	0.00	0.00	0.00		6/22	1	0.46	0.35	3.00	1.23
LINDEN RD (PRIVATE)	0.25			0.00			0.00	0.00	0.00	0.00		6/8	1	0.25	0.50	4.00	1.75
LISA LN	0.12			0.00			0.00	0.00	0.00	0.00		5/5	1	0.12	0.25	2.00	0.88
LITTLE RIDGE RD	0.07			0.00			0.00	0.00	0.00	0.00				0.00			0.00
LONGVIEW DR	0.34			0.00			0.00	0.00	0.00	0.00				0.00			0.00
LOOKOUT DR (PRIVATE)	0.01			0.00			0.00	0.00	0.00	0.00		6/3	1	0.01	2.00	16.00	7.00
LOOKOUT POINT RD	0.10			0.00			0.00	0.00	0.00	0.00		5/26	1	0.10	0.35	3.00	1.23
LOOKOUT RD (PRIVATE)	0.14			0.00			0.00	0.00	0.00	0.00		6/3	1	0.14	1.00	8.00	3.50
LOREN LN (PRIVATE)	0.09	3/22	1	0.09	2	1.32	1.84	0.00	0.00	1.84		5/7	1	0.09	0.25	2.00	0.88
LOST MINE PL	0.16			0.00			0.00	0.00	0.00	0.00		6/16	1	0.16	0.35	3.00	1.23
LOUNDSBERRY LA	0.33			0.00			0.00	0.00	0.00	0.00				0.00			0.00
LOUNSBURY RD	0.90			0.00			0.00	0.00	0.00	0.00		6/17	1	0.90	0.50	4.00	1.75
LYNCH BROOK LN	0.25			0.00			0.00	0.00	0.00	0.00				0.00			0.00
LYNN PL	0.13			0.00			0.00	0.00	0.00	0.00				0.00			0.00
MADELINE (PRIVATE)	0.90			0.00			0.00	0.00	0.00	0.00		6/2	1	0.90	0.25	2.00	0.88
MAIN ST (STATE)				0.00			0.00	0.00	0.00	0.00				0.00			0.00
MALLORY HILL RD	0.30			0.00			0.00	0.00	0.00	0.00		6/24	1	0.30	0.50	4.00	1.75
MAMANASCO RD	1.43	3/22	1	1.43	43	28.38	39.56	0.00	0.00	39.56		5/7	1	1.43	4.00	32.00	14.00
MANOR RD	0.43			0.00			0.00	0.00	0.00	0.00		5/4	1	0.43			0.00
MAPLE SHADE RD	0.24	6/1	1	0.24	13	8.58	11.96	0.00	0.00	11.96				0.00			0.00
MAPLEWOOD RD	0.22			0.00			0.00	0.00	0.00	0.00		6/2	1	0.22	0.50	4.00	1.75
MARCARDON AVE	0.22			0.00			0.00	0.00	0.00	0.00				0.00			0.00
MARIE LN (PRIVATE)	0.11			0.00			0.00	0.00	0.00	0.00		6/2	1	0.11	0.35	3.00	1.23
MARKET ST	0.25			0.00			0.00	0.00	0.00	0.00		4/20	1	0.25			0.00
MARSHALL RD	0.36			0.00			0.00	0.00	0.00	0.00				0.00			0.00
MARYS LN (PRIVATE)	0.06			0.00			0.00	0.00	0.00	0.00				0.00			0.00
MCKEON PL	0.16			0.00			0.00	0.00	0.00	0.00				0.00			0.00
MEAD RIDGE	0.45			0.00			0.00	0.00	0.00	0.00				0.00			0.00
MEDIA LN (PRIVATE)				0.00			0.00	0.00	0.00	0.00				0.00			0.00
MEMORY LN (PRIVATE)				0.00			0.00	0.00	0.00	0.00				0.00			0.00
MIDDLE BROOK LN	0.17			0.00			0.00	0.00	0.00	0.00		6/24	1	0.17	0.35	3.00	1.23
MIDROCKS RD	0.24			0.00			0.00	0.00	0.00	0.00		6/3	1	0.24	0.35	3.00	1.23
MILL VIEW TER	0.10			0.00			0.00	0.00	0.00	0.00		6/8	1	0.10	0.35	3.00	1.23
MILLERS LN	0.20			0.00			0.00	0.00	0.00	0.00				0.00			0.00
MILLSTONE CT	0.11			0.00			0.00	0.00	0.00	0.00				0.00			0.00
MIMOSA CIR	0.84			0.00			0.00	0.00	0.00	0.00		5/26	1	0.84	0.35	3.00	1.23
MIMOSA CT	0.28			0.00			0.00	0.00	0.00	0.00		5/22	1	0.28	0.50	4.00	1.75
MIMOSA LN	0.39			0.00			0.00	0.00	0.00	0.00				0.00			0.00
MIMOSA PL	0.12			0.00			0.00	0.00	0.00	0.00		5/26	1	0.12	0.35	3.00	1.23
MINUTEMAN RD	1.06			0.00			0.00	0.00	0.00	0.00				0.00			0.00
MOPUS BRIDGE RD	0.85			0.00			0.00	0.00	0.00	0.00				0.00			0.00
MORGANTI CT	0.11			0.00			0.00	0.00	0.00	0.00				0.00			0.00
MOUNTAIN RD (PRIV)	1.00			0.00			0.00	0.00	0.00	0.00		6/3	1	1.00	2.00	16.00	7.00
MOUNTAIN VIEW AVE	0.12			0.00			0.00	0.00	0.00	0.00		4/23	1	0.12			0.00
MULBERRY ST	0.24			0.00			0.00	0.00	0.00	0.00				0.00			0.00
MULVANEY CT				0.00			0.00	0.00	0.00	0.00		4/23	1	0.00			0.00
NEDS LN	0.15			0.00			0.00	0.00	0.00	0.00		5/15	1	0.15	3.00	24.00	10.50
NEDS MOUNTAIN RD	1.48			0.00			0.00	0.00	0.00	0.00				0.00			0.00

NEW RD	0.79		0.00		0.00		0.00		0.00				0.00				0.00
NEW ST	0.53		0.00		0.00		0.00		0.00			4/23, 6/15	1	0.53	3.00	24.00	10.50
NINTH LN (PRIVATE)	0.06		0.00		0.00		0.00		0.00					0.00			0.00
NOD HILL RD	0.63		0.00		0.00		0.00		0.00			6/22	1	0.63	2.00	16.00	7.00
NOD RD	1.39		0.00		0.00		0.00		0.00					0.00			0.00
NOD WEST DR	0.10		0.00		0.00		0.00		0.00			6/25	1	0.10	0.35	3.00	1.23
NORRANS RIDGE DR	0.71		0.00		0.00		0.00		0.00					0.00			0.00
NORTH SHORE DR (PRIV)	0.20		0.00		0.00		0.00		0.00					0.00			0.00
NORTH ST	2.30		0.00		0.00		0.00		0.00			5/20	1	2.30	2.00	16.00	7.00
NORTH VALLEY RD	0.22		0.00		0.00		0.00		0.00					0.00			0.00
NURSERY RD	0.92		0.00		0.00		0.00		0.00			6/9	1	0.92	0.50	4.00	1.75
NUTMEG CT	0.13		0.00		0.00		0.00		0.00			6/22	1	0.13	0.50	4.00	1.75
NUTMEG RIDGE	0.43		0.00		0.00		0.00		0.00					0.00			0.00
OAK KNOLL	0.24		0.00		0.00		0.00		0.00					0.00			0.00
OAK TREE LN (PRIVATE)	0.13		0.00		0.00		0.00		0.00					0.00			0.00
OLD BARLOW MTN RD	0.29		0.00		0.00		0.00		0.00			5/26	1	0.29	0.75	7.00	2.63
OLD BRANCHVILLE RD	1.57		0.00		0.00		0.00		0.00			6/25	1	1.57	3.00	24.00	10.50
OLD DANBURY RD	0.15		0.00		0.00		0.00		0.00					0.00			0.00
OLD MAIN HWY	0.35		0.00		0.00		0.00		0.00					0.00			0.00
OLD MILL RD	0.50		0.00		0.00		0.00		0.00			5/14	1	0.50	0.50	4.00	1.75
OLD MUSKET LN	0.11		0.00		0.00		0.00	1	1.60	1.60				0.00			0.00
OLD OSCALETA RD	0.12		0.00		0.00		0.00		0.00					0.00			0.00
OLD PIERCE RD	0.16		0.00		0.00		0.00		0.00			6/1	1	0.16	0.35	3.00	1.23
OLD QUARRY RD	0.23		0.00		0.00		0.00		0.00					0.00			0.00
OLD REDDING RD	0.11		0.00		0.00		0.00		0.00					0.00			0.00
OLD RIDGEBURY RD			0.00		0.00		0.00		0.00			5/19	1	0.00	0.50	4.00	1.75
OLD SIB RD	2.06		0.00		0.00		0.00		0.00			5/12	1	2.06			0.00
OLD SOUTH SALEM RD	0.44		0.00		0.00		0.00		0.00					0.00			0.00
OLD STAGECOACH RD	1.43		0.00		0.00		0.00		0.00			5/29	1	1.43	2.00	16.00	7.00
OLD STILL RD	0.19		0.00		0.00		0.00		0.00			6/10	1	0.19	0.50	4.00	1.75
OLD STONE CT	0.11		0.00		0.00		0.00		0.00					0.00			0.00
OLD TOWN RD	0.12		0.00		0.00		0.00		0.00					0.00			0.00
OLD TROLLEY RD	0.82		0.00		0.00		0.00		0.00			5/18	1	0.82	0.35	3.00	1.23
OLD WAGON RD	0.28		0.00		0.00		0.00		0.00					0.00			0.00
OLD WASHINGTON RD	0.48		0.00		0.00		0.00		0.00			6/22	1	0.48	0.35	3.00	1.23
OLD WEST MTN RD	1.01		0.00		0.00		0.00		0.00					0.00			0.00
OLMSTEAD LN	0.51		0.00		0.00		0.00		0.00					0.00			0.00
ONEILL CT	0.14		0.00		0.00		0.00		0.00			5/7	1	0.14	0.35	3.00	1.23
ORCHARD LN (PRIVATE)			0.00		0.00		0.00		0.00					0.00			0.00
ORENECA RD	1.04		0.00		0.00		0.00		0.00					0.00			0.00
OSCALETA RD	1.53		0.00		0.00		0.00		0.00					0.00			0.00
OVERLOOK DR	0.43		0.00		0.00		0.00		0.00					0.00			0.00
PALMER CT	0.05		0.00		0.00		0.00		0.00			6/9	1	0.05	0.35	3.00	1.23
PARK LN	0.15		0.00		0.00		0.00		0.00					0.00			0.00
PARLEY LN	0.06		0.00		0.00		0.00		0.00			5/4	1	0.06			0.00
PARLEY RD	0.26		0.00		0.00		0.00		0.00			5/21	1	0.26	0.35	3.00	1.23
PARTRIDGE DR	0.21		0.00		0.00		0.00		0.00			5/29	1	0.21	0.25	2.00	0.88
PEACEABLE HILL RD	1.29		0.00		0.00		0.00		0.00					0.00			0.00
PEACEABLE RIDGE	1.04		0.00		0.00		0.00		0.00			6/23	1	1.04	2.00	16.00	7.00
PEACEABLE ST	1.58		0.00		0.00		0.00		0.00					0.00			0.00
PEACEABLE ST G.T.			0.00		0.00		0.00		0.00					0.00			0.00
PELHAM LN	0.24		0.00		0.00		0.00		0.00			6/22	1	0.24	2.00	16.00	7.00
PERRY LN	0.38		0.00		0.00		0.00		0.00					0.00			0.00

PHEASANT DR	0.30			0.00			0.00		0.00		0.00			5/15	1	0.30	0.25	2.00	0.88
PIERREPONT DR	0.33			0.00			0.00		0.00		0.00			6/1	1	0.33	2.00	16.00	7.00
PILGRIM HILL RD	0.08			0.00			0.00		0.00		0.00			6/10	1	0.08	0.35	3.00	1.23
PIN PACK RD	0.62			0.00			0.00		0.00		0.00					0.00			0.00
PINE LAKE RD	0.13			0.00			0.00		0.00		0.00					0.00			0.00
PINE MOUNTAIN RD	0.66			0.00			0.00		0.00		0.00			5/15	1	0.66	6.00	48.00	21.00
PINECREST DR	0.19			0.00			0.00		0.00		0.00			5/26	1	0.19	1.00	8.00	3.50
PLAYGROUND RD	0.19			0.00			0.00		0.00		0.00			6/24	1	0.19	0.35	3.00	1.23
POCCONOCK TR	0.12			0.00			0.00		0.00		0.00					0.00			0.00
POND RD	0.19			0.00			0.00		0.00		0.00					0.00			0.00
POPLAR RD	0.54			0.00			0.00		0.00		0.00			6/8	1	0.54	2.00	16.00	7.00
PORTLAND AVE	0.10			0.00			0.00		0.00		0.00					0.00			0.00
POUND ST	0.17			0.00			0.00		0.00		0.00			4/23	1	0.17	0.50	4.00	1.75
G	0.35			0.00			0.00		0.00		0.00					0.00			0.00
POWDER HORN	0.32			0.00			0.00		0.00		0.00					0.00			0.00
POWDERMAKER DR	0.32			0.00			0.00		0.00		0.00					0.00			0.00
PROSPECT RIDGE	0.57			0.00			0.00		0.00		0.00			4/25	1	0.57	4.00	32.00	14.00
PROSPECT ST	0.51			0.00			0.00		0.00		0.00			4/20	1	0.51			0.00
PUMP LN (PRIVATE)	0.10	3/24	1	0.10			0.00	8	9.60	5	8.45	18.05				0.00			0.00
PUMPING STATION RD	0.45			0.00			0.00		0.00		0.00					0.00			0.00
QUAIL DR	0.09			0.00			0.00		0.00		0.00					0.00			0.00
RAINBOW DR (PRIVATE)	0.11			0.00			0.00		0.00		0.00			6/3	1	0.11	0.35	3.00	1.23
RAMAPOO HILL RD	0.12			0.00			0.00		0.00		0.00					0.00			0.00
RAMAPOO RD	1.09			0.00			0.00		0.00		0.00				1	1.09			0.00
LOT				0.00			0.00		0.00		0.00			4/20	1	1.09			0.00
RED OAK LN	0.17			0.00			0.00		0.00		0.00					0.00			0.00
REGAN RD	0.68			0.00			0.00		0.00		0.00			5/15	1	0.68	1.00	8.00	3.50
REMINGTON RD	0.82			0.00			0.00		0.00		0.00					0.00			0.00
REVERE DR	0.41			0.00			0.00		0.00		0.00					0.00			0.00
REVERE PL	0.21			0.00			0.00		0.00		0.00					0.00			0.00
RICHARDSON DR	0.23			0.00			0.00		0.00		0.00			6/12	1	0.23	0.35	3.00	1.23
RIDGEBURY RD	3.88			0.00			0.00		0.00		0.00					0.00			0.00
Danbury line to G.W. Hwy				0.00			0.00		0.00		0.00					0.00			0.00
RIDGECREST DR	0.35			0.00			0.00		0.00		0.00			5/22	1	0.35	0.35	3.00	1.23
RIDGEWAY TER (PRIV)	0.06			0.00			0.00		0.00		0.00			6/2	1	0.06	0.35	3.00	1.23
RIDGEWOOD RD	0.48			0.00			0.00		0.00		0.00			6/18	1	0.48	0.35	3.00	1.23
RIPPOWAM RD	0.91			0.00			0.00		0.00		0.00					0.00			0.00
RISING RIDGE RD	0.69			0.00			0.00		0.00		0.00					0.00			0.00
RITA RD (PRIVATE)	0.25			0.00			0.00		0.00		0.00					0.00			0.00
RITCH DR	0.41			0.00			0.00		0.00		0.00			6/10	1	0.41	0.25	2.00	0.88
RIVERSIDE DR	0.57			0.00			0.00		0.00		0.00			6/9	1	0.57	1.50	12.00	5.25
ROBERTS LN	0.14			0.00			0.00		0.00		0.00			4/23	1	0.14			0.00
ROCHAMBEAU AVE	0.12			0.00			0.00		0.00		0.00					0.00			0.00
ROCK RD	0.48			0.00			0.00		0.00		0.00			5/7,5/11	1	0.48	0.75	7.00	2.63
OFF MAMANASCO				0.00			0.00		0.00		0.00					0.00			0.00
ROCK SPRING LN	0.11			0.00			0.00		0.00		0.00			6/9		0.00	0.75	7.00	2.63
ROCKCREST DR	0.15			0.00			0.00		0.00		0.00			5/28	1	0.15	0.35	3.00	1.23
ROCKWELL RD	0.50			0.00			0.00		0.00		0.00					0.00			0.00
ROLLING HILL RD	0.23			0.00			0.00		0.00		0.00			6/8	1	0.23	0.35	3.00	1.23
ROLLING RIDGE RD	0.23			0.00			0.00		0.00		0.00			5/29	1	0.23	0.25	2.00	0.88
ROUND LAKE RD	0.59			0.00			0.00		0.00		0.00					0.00			0.00
ROWLAND LN	0.12			0.00			0.00		0.00		0.00			4/20	1	0.12			0.00
RUSTIC DR (PRIVATE)	0.10			0.00			0.00		0.00		0.00					0.00			0.00

RUSTIC RD (PRIVATE)	0.17		0.00		0.00		0.00		0.00				6/2	1	0.17	0.50	4.00	1.75
SADDLE RIDGE RD ()			0.00		0.00		0.00		0.00						0.00			0.00
SALEM VIEW DR	0.11		0.00		0.00		0.00		0.00						0.00			0.00
SANFORD STATION RD	0.05		0.00		0.00		0.00		0.00						0.00			0.00
SARAH BISHOP RD	0.35		0.00		0.00		0.00		0.00				5/21	1	0.35	0.35	3.00	1.23
SAUNDERS LN	0.40		0.00		0.00		0.00		0.00				6/12	1	0.40	1.00	8.00	3.50
SAW MILL RD	0.39		0.00		0.00		0.00		0.00						0.00			0.00
SCHOOLHOUSE PL	0.13		0.00		0.00		0.00		0.00				5/19	1	0.13	0.35	3.00	1.23
SCODON DR	0.50		0.00		0.00		0.00		0.00				5/14	1	0.50			0.00
SCOTT RIDGE RD	0.51		0.00		0.00		0.00		0.00				5/11	1	0.51	0.35	3.00	1.23
SECOND LN (PRIVATE)	0.09		0.00		0.00		0.00		0.00						0.00			0.00
SENOKA DR	0.11		0.00		0.00		0.00		0.00				5/28	1	0.11	0.35	3.00	1.23
SERFILIPPI DR	0.12		0.00		0.00		0.00		0.00						0.00			0.00
SETH LOW MTN RD	0.77		0.00		0.00		0.00		0.00				5/29	1	0.77	3.00	24.00	10.50
SETTLERS LN	0.18		0.00		0.00		0.00		0.00				5/5	1	0.18	0.35	3.00	1.23
SEVENTH LN (PRIVATE)	0.09		0.00		0.00		0.00		0.00						0.00			0.00
SEYMOUR LN	0.14		0.00		0.00		0.00		0.00						0.00			0.00
SHADBLOW HILL RD	0.14		0.00		0.00		0.00		0.00				6/18	1	0.14	0.50	4.00	1.75
SHADOW LAKE RD	1.20		0.00		0.00		0.00		0.00						0.00			0.00
SHADOW LN	0.26		0.00		0.00		0.00		0.00				5/4	1	0.26			0.00
SHADY LN (PRIVATE)	0.07		0.00		0.00		0.00		0.00						0.00			0.00
SHARP HILL RD	0.13		0.00		0.00		0.00		0.00				6/23	1	0.13	0.35	3.00	1.23
SHERWOOD RD	0.44		0.00		0.00		0.00		0.00				5/15	1	0.44	0.50	4.00	1.75
SHIELDS LN	0.21		0.00		0.00		0.00		0.00				6/4	1	0.21	0.35	3.00	1.23
SHORT LN	0.12		0.00		0.00		0.00		0.00				5/29	1	0.12	0.35	3.00	1.23
SILVER BIRCH LN (PRIV)	0.06		0.00		0.00		0.00		0.00						0.00			0.00
SILVER BROOK RD	0.16		0.00		0.00		0.00		0.00						0.00			0.00
SILVER HILL RD	0.52		0.00		0.00		0.00		0.00						0.00			0.00
SILVER SPRING LN	0.75		0.00		0.00		0.00		0.00						0.00			0.00
SILVER SPRING PK	0.22		0.00		0.00		0.00		0.00						0.00			0.00
SILVER SPRING RD	2.17		0.00		0.00		0.00		0.00						0.00			0.00
SIXTH LN (PRIVATE)	0.09		0.00		0.00		0.00		0.00						0.00			0.00
SKY TOP RD	0.27		0.00		0.00		0.00		0.00				6/4	1	0.27	0.35	3.00	1.23
SLEEPY HOLLOW RD	0.71		0.00		0.00		0.00		0.00						0.00			0.00
SOPHIA DR	0.22		0.00		0.00		0.00		0.00				5/14	1	0.22			0.00
SOUNDVIEW RD	0.53		0.00		0.00		0.00		0.00						0.00			0.00
SOUTH OLMSTEAD LN	0.43		0.00		0.00		0.00		0.00						0.00			0.00
SOUTH SHORE DR	0.20		0.00		0.00		0.00		0.00						0.00			0.00
SOUTH ST	0.31		0.00		0.00		0.00		0.00				4/20	1	0.31			0.00
SOUTHRIDGE CT	0.25		0.00		0.00		0.00		0.00						0.00			0.00
SPECTACLE RD	0.51		0.00		0.00		0.00		0.00						0.00			0.00
SPIRE VIEW RD	0.37		0.00		0.00		0.00		0.00				5/29	1	0.37	0.50	4.00	1.75
SPLIT LEVEL LN	0.31		0.00		0.00		0.00		0.00						0.00			0.00
SPRING VALLEY RD	1.44		0.00		0.00		0.00		0.00				5/22	1	1.44	7.00	56.00	24.50
SPRUCEWOOD LN	0.15		0.00		0.00		0.00		0.00				5/20	1	0.15	0.50	4.00	1.75
SAINT JOHNS RD	1.04		0.00		0.00		0.00		0.00						0.00			0.00
STANDISH DR	0.61		0.00		0.00		0.00		0.00						0.00			0.00
STILL RD	0.24		0.00		0.00		0.00		0.00						0.00			0.00
STILL HOLLOW PL	0.03		0.00		0.00		0.00		0.00						0.00			0.00
STONECREST RD	0.60		0.00		0.00		0.00		0.00				5/22	1	0.60	0.35	3.00	1.23
STONEHENGE RD	0.37		0.00		0.00		0.00		0.00				6/10	1	0.37	1.50	12.00	5.25
STONEWALL LN	0.17		0.00		0.00		0.00		0.00				5/18	1	0.17	0.35	3.00	1.23
STONY HILL RD	0.61		0.00		0.00		0.00		0.00						0.00			0.00

STONY HILL TER	0.08			0.00			0.00		0.00	0.00				0.00			0.00
STRAWBERRY RIDGE	0.16			0.00			0.00		0.00	0.00		6/22	1	0.16	0.35	3.00	1.23
SUGAR LOAF MTN RD	0.47			0.00			0.00		0.00	0.00		5/15	1	0.47	0.50	4.00	1.75
SUGAR LOAF MTN RD	0.17			0.00			0.00		0.00	0.00				0.00			0.00
SUNSET DR (PRIVATE)	0.07			0.00			0.00		0.00	0.00				0.00			0.00
SUNSET LN	0.22			0.00			0.00		0.00	0.00		4/23	1	0.22	0.50	4.00	1.75
SUMMIT LN	0.22			0.00			0.00		0.00	0.00		5/28	1	0.22	0.35	3.00	1.23
SYCAMORE LN	0.15	3/25	1	0.15	6	3.96	5.52		0.00	0.00	5.52			0.00			0.00
SYLVAN DR (PRIVATE)	0.10			0.00			0.00		0.00	0.00		6/2	1	0.10	0.50	4.00	1.75
TACKORA TR	1.10			0.00			0.00		0.00	0.00		5/12	1	1.10			0.00
TALLY-HO RD	0.37			0.00			0.00		0.00	0.00		6/10	1	0.37	0.25	2.00	0.88
TANGLEWOOD CT	0.16			0.00			0.00		0.00	0.00				0.00			0.00
TANNERY HILL RD	0.17			0.00			0.00		0.00	0.00		5/22	1	0.17	0.35	3.00	1.23
TANTON HILL RD	0.85			0.00			0.00		0.00	0.00		6/1	1	0.85	1.00	8.00	3.50
TAPORNECK CT	0.12			0.00			0.00		0.00	0.00		5/7	1	0.12	0.35	3.00	1.23
TAYLOR CT	0.03			0.00			0.00		0.00	0.00				0.00			0.00
TEA HOUSE LA	0.12			0.00			0.00		0.00	0.00		5/7	1	0.12	0.35	3.00	1.23
TENTH LN (PRIVATE)	0.09	3/22	1	0.09	2	1.32	1.84		0.00	0.00	1.84			0.00			0.00
THIRD LN (PRIVATE)	0.09			0.00			0.00		0.00	0.00				0.00			0.00
THUNDER HILL LN	0.22			0.00			0.00		0.00	0.00				0.00			0.00
TITICUS CT	0.09			0.00			0.00		0.00	0.00		5/22	1	0.09	0.35	3.00	1.23
TITUS PL	0.05			0.00			0.00		0.00	0.00				0.00			0.00
TODDS RD	0.25			0.00			0.00		0.00	0.00		5/13	1	0.25	0.50	4.00	1.75
TOPCREST LN	0.17			0.00			0.00		0.00	0.00				0.00			0.00
TOPSTONE RD	0.38			0.00			0.00		0.00	0.00		5/28,6/12	1	0.38	2.00	8.00	7.00
TOWER LN	0.14			0.00			0.00		0.00	0.00				0.00			0.00
TRAILS END LN	0.10			0.00			0.00		0.00	0.00				0.00			0.00
TURNER RD	0.41			0.00			0.00		0.00	0.00		5/19	1	0.41	0.25	2.00	0.88
TURTLE RIDGE CT	0.12			0.00			0.00		0.00	0.00				0.00			0.00
TWELFTH LN	0.07			0.00			0.00		0.00	0.00				0.00			0.00
TWIN RIDGE RD	0.25			0.00			0.00		0.00	0.00		6/26	1	0.25	0.35	3.00	1.23
TWIXT HILL RD	0.24			0.00			0.00		0.00	0.00		5/29	1	0.24	1.00	8.00	3.50
TWOPENCE RD	0.23			0.00			0.00		0.00	0.00		5/21	1	0.23	0.35	3.00	1.23
VICTOR DR	0.08			0.00			0.00		0.00	0.00				0.00			0.00
VIRGINIA CT	0.16			0.00			0.00		0.00	0.00		5/29	1	1.00	0.35	3.00	1.23
WALNUT GROVE RD	0.69			0.00			0.00		0.00	0.00		6/12	1	0.69	1.00	8.00	3.50
WALNUT HILL RD	0.39			0.00			0.00		0.00	0.00				0.00			0.00
WASHINGTON ST	0.08			0.00			0.00		0.00	0.00				0.00			0.00
WATERS EDGE (PRIV)	0.32			0.00			0.00		0.00	0.00				0.00			0.00
WEBSTER RD	0.31			0.00			0.00		0.00	0.00				0.00			0.00
WEIR FARM LN	0.10			0.00			0.00		0.00	0.00		6/22	1	0.10	0.35	3.00	1.23
WEST BRANCHVILLE RD	0.35			0.00			0.00		0.00	0.00		6/24	1	0.35			0.00
WESTMORELAND RD	0.13			0.00			0.00		0.00	0.00				0.00			0.00
WHEELER RD	0.29			0.00			0.00		0.00	0.00		5/22	1	0.29	1.00	8.00	3.50
WHIPSTICK RD	0.57			0.00			0.00		0.00	0.00		6/25	1	0.57	2.00	16.00	7.00
WHITE BIRCH RD	0.10			0.00			0.00		0.00	0.00		6/24	1	0.10	0.35	3.00	1.23
WHITE BIRCHES RD	0.38			0.00			0.00		0.00	0.00				0.00			0.00
WHITEWOOD HOLLOW	0.07			0.00			0.00		0.00	0.00		6/8	1	0.07			0.00
WHITLOCK LN	0.11			0.00			0.00		0.00	0.00		6/4	1	0.11	0.35	3.00	1.23
WILD TURKEY CT	0.19			0.00			0.00		0.00	0.00				0.00			0.00
WILLOW CT	0.16			0.00			0.00		0.00	0.00		6/8	1	0.16	0.35	3.00	1.23
WILRIDGE RD	0.31			0.00			0.00		0.00	0.00		6/24	1	0.31	0.50	4.00	1.75
WILTON RD EAST	1.67			0.00			0.00		0.00	0.00				0.00			0.00

